


# Knives & Scissors

Klein's wide range of knives and scissors provide professionals with the tools needed for a competitive edge.

F O R P R O F E S S I O N A L S . . . S I N C E 1 8 5 7 ®



Knives & Scissors



## Pocket Knives – One Blade

### Lightweight Lockback Knives

- Blades are AUS8 stainless hardened to 58-59 Rc.
- Premium quality blade offers superior edge holding.
- Impact-resistant nylon resin handle with rubber insert (Cat. Nos. 44002-44005).
- Slim, stylish and comfortable aluminum handle (Cat. Nos. 44000 and 44001).
- Thumb stud (reversible) provides easy one-handed opening.



44001



44002

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
<b>Drop-Point Blade</b>				
44000	AUS8 stainless steel	2-1/4" (57 mm)	3-1/8" (76 mm)	1.5
44001*	AUS8 stainless steel	2-1/2" (64 mm)	3-1/2" (89 mm)	2.5
44002	AUS8 stainless steel	2-3/8" (60 mm)	3-1/2" (89 mm)	1.5
44003	AUS8 stainless steel	2-3/4" (70 mm)	4-1/8" (105 mm)	2.5
<b>Sheepfoot Blade</b>				
44004	AUS8 stainless steel	2-3/8" (60 mm)	3-1/2" (89 mm)	1.5
44005	AUS8 stainless steel	2-5/8" (67 mm)	4-1/8" (105 mm)	2.5

\* Includes a pocket/belt clip.

### Compact Pocket Knives – Drop Point Blade

- Compact and lightweight knives.
- Stainless steel handles and blades for long life.
- Rosewood handle inserts on both sides.
- Modified spearpoint blades lock open.



44033

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
44032	stainless steel	1-5/8" (41 mm)	2-1/2" (64 mm)	1.0
44033	stainless steel	2" (51 mm)	3" (76 mm)	1.8
44034	stainless steel	2-5/8" (67 mm)	4" (102 mm)	4.0

### Sportsman Knives – Sharp Point Blade

- Curved handle with big bolster.
- Brass bolsters and ebony wood handles.
- Stainless steel blades for long life.
- Brass linings.
- Blades lock open.
- Cat. No. 44037 furnished with **leather** snap case with belt loop.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
44035	stainless steel	2" (51 mm)	3" (76 mm)	1.5
44036	stainless steel	2-3/8" (60 mm)	3-1/2" (89 mm)	2.5
44037	stainless steel	3-3/8" (86 mm)	4-7/8" (124 mm)	6.5
5186	case for Cat. No. 44037 knife			2.5



44037

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Never use on or near live electrical circuits.

## Pocket Knives – Coping Blade

- Coping-type blade – 2-1/4" (57 mm) long.
- Compact and lightweight.
- Ideal for skinning small wire and cable.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-5	carbon steel	2-1/4" (57 mm)	3-1/4" (83 mm)	1.5
1550-45	stainless steel	2-1/4" (57 mm)	3-1/4" (83 mm)	1.5



1550-5

## Pocket Knife – Coping Blade

- Coping-type blade – 2-1/4" (57 mm) long.
- Compact and lightweight.
- Ideal for skinning small wire and cable.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-11	carbon steel	2-1/4" (57 mm)	3-1/4" (83 mm)	2



1550-11

## Pocket Knife – Coping Blade

- Big, carbon-steel coping-type blade – 3" (76 mm) long.
- Woodgrain plastic handle.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-14	carbon steel	3" (76 mm)	4-1/4" (108 mm)	4.0



1550-14

## Pocket Knives – Sheepfoot Slitting Blade

- Extra-large curved sheepfoot slitting-blade – 2-5/8" (67 mm) long.
- Ideal for heavy-duty line work.
- Woodgrain plastic handle.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-4	carbon steel	2-5/8" (67 mm)	4" (102 mm)	4.0
1550-44	stainless steel	2-5/8" (67 mm)	4" (102 mm)	4.0



1550-4

## Pocket Knife – Slitting Blade

- Large, stainless steel, curved-sheepfoot slitting blade – 2-1/2" (64 mm) long.
- Ideal for heavy-duty line work.
- Plastic handle.
- Blade locks open.

Cat. No.	Blade Steel	Blade Length	Length Closed	Weight (oz.)
1550-24	stainless steel	2-1/2" (64 mm)	4-3/8" (111 mm)	2.5



1550-24

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Never use on or near live electrical circuits.



## Pocket Knives – Two Blades

### 2-Blade Pocket Knives – Spearpoint and Screwdriver-Tip Blades

- Standard spearpoint blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade locks open

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-2	carbon steel	2-1/2" (64 mm)	3-3/4" (95 mm)	4.0
1550-42	stainless steel	2-1/2" (64 mm)	3-3/4" (95 mm)	4.0



1550-2

### 2-Blade Pocket Knife – Sheepfoot and Screwdriver-Tip Blades

- Curved-sheepfoot slitting blade – 2-3/8" (60 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Screwdriver blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-7	carbon steel	2-3/8" (60 mm) and 2-1/2" (64 mm)	3-3/4" (95 mm)	4.0



1550-7

### 2-Blade Pocket Knife – Sheepfoot and Insulation-Slitting Blades

- Curved sheepfoot skinning blade – 2-3/8" (60 mm) long.
- Special insulation-slitting blade – 1-1/2" (38 mm) long.
- Slitting blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-10	carbon steel	2-3/8" (60 mm) and 1-1/2" (38 mm)	3-3/4" (95 mm)	4.0



1550-10

## Pocket Knives – Two Blades and Three Blades

### Money-Clip Pocket Knife – Spearpoint Blade and Nail File

- Handsome, brushed stainless steel case with rosewood insert.
- Includes money clip, 1-1/2" (38 mm) spearpoint blade and 1-1/2" (38 mm) nail file.

Cat. No.	Blade Type	Blade Length	Length Closed	Weight (oz.)
44031	stainless steel	1-1/2" (38 mm)	2-1/8" x 7/8" x 1/4" (54 mm x 22 mm x 6 mm)	.8



44031

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Never use on or near live electrical circuits.

# Pocket Knives – Two Blades and Three Blades

## 2- and 3-Blade Pocket Knives – Sharp Point and Spearpoint; Slitting Blades

- Standard-pattern, multi-blade knives.
- Nickel-silver bolsters and staged plastic handles.
- Brass linings.
- All sizes have regular sharp point and spearpoint blades.
- Cat. No. 44040 has slitting blade.

Cat. No.	Blade Steel	Amount of Blades	Blade Lengths	Length Closed	Weight (oz.)
44038	stainless steel	2	sharp point 2" (51 mm) spearpoint 1-1/4" (32 mm)	2-7/8" (73 mm)	1.3
44039	stainless steel	2	sharp point 2-1/4" (57 mm) spearpoint 1-1/4" (32 mm)	3-3/8" (86 mm)	1.7
44040	stainless steel	3	sharp point 2-5/8" (67 mm) spearpoint 2-3/4" (70 mm) slitting 2-3/4" (70 mm)	3-7/8" (98 mm)	3.0



44040

## Pocket Knives – Three Blades

### 3-Blade Pocket Knife – Sheepfoot, Spearpoint, and Screwdriver-Tip Blades

- Curved-sheepfoot skinning blade – 2-3/8" (60 mm) long.
- Standard spearpoint blade – 2-1/2" (64 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Screwdriver blade locks open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-6	carbon steel	2-3/8" (60 mm), 2-1/2" (64 mm), 2-1/2" (64 mm)	3-3/4" (95 mm)	5.0



1550-6

### 3-Blade Pocket Knife – Spearpoint, Insulation-Slitting, and Screwdriver-Tip Blades

- Spearpoint blade – 2-1/2" (64 mm) long.
- Special insulation-slitting blade – 1-1/2" (38 mm) long.
- Screwdriver-tip blade – 2-1/2" (64 mm) long.
- Both slitting blade and screwdriver-tip blade lock open.

Cat. No.	Blade Steel	Blade Lengths	Length Closed	Weight (oz.)
1550-9	carbon steel	2-1/2" (64 mm), 1-1/2" (38 mm), 2-1/2" (64 mm)	3-3/4" (95 mm)	5.0



1550-9

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Never use on or near live electrical circuits.



## Sharpening Tools

### Multi-Purpose Sharpening Steel

- A knife sharpener – and a lot more.
- Tungsten-carbide bonded to fine, medium, and rough sharpening surfaces, effectively sharpens any knife.
- Chisel point makes tool useful for hacking, prying, scraping, splitting, cutting sheet metal, or other rough jobs that would harm a knife.
- **Leather**-sheath handle folds out of the way for use as a sharpener, provides a convenient way to hold tool when used as a chisel or other tool.
- **Leather** lanyard holds tool in sheath and secures it to belt or ring.

Cat. No.	Overall Size	Weight (lbs.)
44150	5" x 7/8" x 1/4" (127 mm x 22 mm x 6 mm)	.40



44150

### Combination Knife and Scissors Sharpener

- High-grade, tungsten carbide inserts sharpen both sides of the blade at the same time.
- Restores knife edge in three or four strokes.
- To sharpen a pair of scissors, place the sharpener flat on its side, and with a few quick strokes, draw the scissors blade through the slot.
- Built-in finger guard helps to protect your hand.
- Lightweight, compact size for easy carrying and storage.
- Sharpens electrician's scissors, pocket knives, retractable-blade utility knives, razor blade knives, and serrated knives.



48036

**⚠WARNING:** Improper use of knife and scissors sharpener and/or failure to follow instructions can result in injuries. Keep your fingers behind the curved guard, and your thumb securely on the multi-grooved thumb-rest indentation, never in front of it.

Cat. No.	Overall Size	Weight (lbs.)
48036	4" L x 2-1/4" W x 3/4" D (102 mm x 57 mm x 19 mm)	.10

### Pocket-Sized Knife Sharpener

- A rugged, versatile sharpener featuring fine craftsmanship and unique design.
- Blade unscrews and stores in handle for convenient carrying in tool box, pouch, or pocket.
- Blade is precision-cut, hard-chromed steel for accurate, consistent sharpening and long life.
- Magnetized to trap metal particles when sharpening.
- Handle is high-visibility orange color, with handy pocket clip.



44151

Cat. No.	Blade Length	Length Closed	Weight (lbs.)
44151	3-3/4" (95 mm)	5-1/2" (140 mm)	.05

## Special-Purpose Knives

### Utility Knife – Retractable Blade

- Top button moves heavy-duty, razor-edged blade to any of three cutting positions.
- Double-ended, reversible blade retracts fully for carrying.
- Lightweight aluminum handle is shaped for comfort.
- Accepts most standard blades.
- Includes 3 standard blades, stored in handle.
- Blades made in the U.S.A.
- **Leather** holder available, Cat. No. 5185.



44100

**⚠WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.

Cat. No.	Length Closed	Weight (lbs.)
44100	6" (152 mm)	.22

All dimensions are in inches and (millimeters).

**⚠WARNING:** Always wear approved eye protection.

**⚠WARNING:** Never use on or near live electrical circuits.

## Utility Knife – Quick Change Retractable Blade

- Blade locks in 3 positions.
- Notch in bottom for cutting of cord or twine up to 1/8" (3 mm) diameter with blade in any position.
- No tools required for quick blade change.
- Includes 3 heavy-duty blades, stored in handle.
- Blades made in the USA.
- **Leather** holder available, Cat. No. 5185.



44105

Cat. No.	Length Closed	Weight (lbs.)
44105	6-3/8" (162 mm)	.42

## Heavy-Duty Utility Knife – Quick Change Retractable Blade KLEIN-KURVÉ

- Curved handle design with slip-resistant grip for comfort and ease of use.
- No tools required for quick blade change.
- Plastic holster with belt clip for convenient use.
- Safety overlap handle design for heavy-duty cutting.
- Retractable blade locks in 3 positions.
- Includes one heavy-duty blade and stores up to 10 blades in handle.
- Fits most standard utility blades.
- Blades made in the U.S.A.




44107

Cat. No.	Length Closed	Weight (lbs.)
44107	7" (178 mm)	.50

## Utility Knife Blades

- Heavy-duty razor-edged blades.
- Universal size fits Klein and most other makes of utility knives.
- Blades are reversible for extra life.
- Blades made in the U.S.A.



44101

Cat. No.	Blade Size	Package Size	Weight (lbs.)
44101	2-7/16" x .025" (62 mm x 6 mm)	5 blades	.05
44104	2-7/16" x .025" (62 mm x 6 mm)	bulk package of 400 blades	4.0

## Utility-Knife Blade Dispenser – 100 Blades

- Heavy-duty razor-edged blades.
- Universal size fits Klein and most other makes of utility knives.
- Blades are reversible for extra life.
- Dispenser mounts vertically to dispense one blade at a time.
- Dispenser measures 2-3/4" W x 1-1/8" D x 5" H (70 mm x 29 mm x 127 mm).
- Blades made in the U.S.A.



44102

Cat. No.	Contains	Weight (lbs.)
44102	utility-knife blade dispenser complete with 100 blades	1.00

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Never use on or near live electrical circuits.

**▲WARNING:** Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury.



## Special-Purpose Knives

### Cable-Sheath Splitting Knife

- Compact, lightweight knife for opening lead cables.
- Rugged, forged tempered cutlery steel blade.
- Sharp, chisel-shaped edge.
- Hammer head on back.
- Plastic-dipped handle for comfort.
- **Leather guard available, Cat. No. 5574S.**



1515-S

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
1515-S	7-3/8" (187 mm)	2-19/32" (66 mm)	.35

### Bell System Cable-Sheath Splitting Knife – Heavy-Duty

- Heavy-duty knife for splitting cable sheaths.
- Rugged, forged tempered cutlery steel blade.
- Sharp chisel-shaped edge.
- Plastic-dipped handle for comfort.
- **Leather guard available, Cat. No. 5574L.**



1515-1

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
1515-1	8-3/4" (222 mm)	4-1/2" (114 mm)	1.20

### Cable/Lineman's Skinning Knives

- Three-inch steel blade withstands frequent scoring and slitting of cable jacket.
- Blade and ring are securely molded in handle.
- Notch on blade back for scraping or removing wire insulation.
- Comfortable textured handle with finger grooves and guard.
- Heavy-duty serrated steel blade for saw-action cutting (Cat. No. 1560-3).
- No contact between stainless steel ring and hardened steel blade (available on Cat. No. 1570-3).
- Rectangle-shaped handle design for attachment to some utility hot stick equipment.
- **Leather sheath available, Cat. No. 5163.**



1560-3



1570-3

Cat. No.	Description	Handle Color	Length Less Ring	Weight (lbs.)
1560-3	serrated blade, notch, and ring	black	8" (203 mm)	.30
1570-3	hook blade, notch, and ring	red	8" (203 mm)	.30
1570-3LR	hook blade and notch	red	8" (203 mm)	.29

### Cable-Splicer's Knife

- Special-purpose short blade with comfortable, full-sized, heavy-duty handle.
- Coping-type blade made of the finest cutlery steel, tough and carefully tempered to hold its edge.
- Handle is textured for comfort and firm grip.
- Hang hole for easy storage and portability.



44200

Cat. No.	Overall Length	Blade Length	Weight (lbs.)
44200	6-1/4" (159 mm)	1-3/4" (44 mm)	.15

All dimensions are in inches and (millimeters).

**▲WARNING:** Never use on or near live electrical circuits.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** NOT insulated. Will NOT protect against electrical shock.



## Cable-Splicer's Kit

- Includes cable-splicer's knife, electrician's scissors, and 2-pocket leather pouch.
- Cuts cable, telephone wire, and strips insulation.
- Dimensions: 2-1/8" x 7-1/2" (54 mm x 191 mm).

Cat. No.	Kit Contains	Weight (lbs.)
46037		.50

Cat. No.	Description
44200	cable-splicer's knife
2100-7	electrician's scissors with stripping notches
5187	slotted leather holder for belts up to 2" (51 mm) wide



46037

## Scissors

### Electrician's Scissors

- Designed for telecom and electrical applications and heavy-duty use.
- Strong, tough tempered steel.
- Nickel-plated finish resists corrosion.
- Scraper and file on outside of both blades.
- Screw hinge permits adjustment.

Cat. No.	Overall Length	Weight (lbs.)
2100-5	5-1/4" (133 mm)	.20



2100-5

### Electrician's Scissors – Stripping Notches

- Upper blade has notches for stripping 19- and 23-gauge wire.
- Designed for telecom and electrical applications and heavy-duty use.
- Strong, tough tempered steel.
- Nickel-plated finish resists corrosion.
- Scraper and file on outside of both blades.
- Screw hinge permits adjustment.
- Serrated lower blade reduces slippage.

Cat. No.	Overall Length	Weight (lbs.)
2100-7	5-1/4" (133 mm)	.20



2100-7

All dimensions are in inches and (millimeters).

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** NOT insulated. Will NOT protect against electrical shock.



# PRIDE

Pride in one's work is what separates the true professionals from the rest. Just as you're proud of the job you do, we're proud to be able to help you do it better...with a professional line of hand tools. You can rely on Klein.

*Andy*

*Andy Bucher*  
Building Maintenance Supervisor  
14 Years

**KLEIN TOOLS**  
For Professionals... Since 1857®

Chicago, IL U.S.A.  
[www.kleintools.com](http://www.kleintools.com)

Professionals Are Known By The Tools They Own™ © 2001 Klein Tools

