

# Lineman Buckets & Accessories

Klein lineman buckets and accessories have been trusted and recognized for decades for their durability and dependability and are built for strength and to handle professional wear and tear.

FOR PROFESSIONALS... SINCE 1857®



Lineman Buckets  
& Accessories



# Canvas Buckets

## Features:

**Polypropylene-rope handle** reinforced with leather for water resistance and strength.

**Durable, straight-wall and tapered-wall** buckets are made of heavy-duty canvas.

The No. canvas refers to the canvas weight. No. 1 being the thickest and No. 8 being the thinnest.

**High-density polyethylene top ring** for strength and chemical resistance.



## Leather-Bottom Buckets

### Additional Features:

- No. 1 canvas.
- **Leather-reinforced bottom** extends 3" (76 mm) up the sides.
- **Inside pocket** measures 8" x 8" (203 mm x 203 mm).
- **Rope handle.**

Cat. No.	Top Diameter	Bottom Diameter	Height	Extra Features	Weight (lbs.)
5104	12" (305 mm)	12" (305 mm)	17" (432 mm)		2.71
5104S	12" (305 mm)	12" (305 mm)	17" (432 mm)	swivel snap (Cat. No. 2012)	2.93



5104

## Straight-Wall Buckets

### Additional Features:

- No. 6 canvas.
- **Black molded polypropylene bottom.**
- **Rope handle.**

Cat. No.	Diameter	Height	Extra Features	Weight (lbs.)
5106	9" (229 mm)	14" (356 mm)		1.51
5106P	9" (229 mm)	14" (356 mm)	two 7" x 7" (178 mm x 178 mm) inside pockets	1.62
5106S	9" (229 mm)	14" (356 mm)	swivel snap (Cat. No. 2012)	1.80



5106

All dimensions are in inches and (millimeters).



## Wide-Opening Straight-Wall Buckets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.

Cat. No.	Diameter	Height	Extra Features	Weight (lbs.)
5109	12" (305 mm)	15" (381 mm)		2.06
5109P	12" (305 mm)	15" (381 mm)	one 8" x 8" (203 mm x 203 mm) inside pocket	2.12
5109S	12" (305 mm)	15" (381 mm)	swivel snap (Cat. No. 2012)	2.35
5109PS	12" (305 mm)	15" (381 mm)	one 8" x 8" (203 mm x 203 mm) inside pocket and swivel snap (Cat. No. 2012)	2.40



5109

## Tapered-Wall Buckets

Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.

Cat. No.	Top Diameter	Bottom Diameter	Height	Extra Features	Weight (lbs.)
5113	12" (305 mm)	9" (229 mm)	13" (330 mm)		1.55
5113S	12" (305 mm)	9" (229 mm)	13" (330 mm)	swivel snap (Cat. No. 2012)	1.84



5113

## Heavy-Duty Tapered-Wall Bucket

Additional Features:

- Riveted leather glove strap.
- Tough No. 4 canvas.
- Comes with Cat. No. 2012 swivel snap.
- Black molded polypropylene bottom.
- Rope handle.

Cat. No.	Top Diameter	Bottom Diameter	Height	Extra Features	Weight (lbs.)
5103S	12" (305 mm)	9" (229 mm)	12" (305 mm)	swivel snap (Cat. No. 2012)	1.95



5103S

## Heavy-Duty Tapered-Wall Buckets with Pockets

Additional Features:

- Riveted leather glove strap.
- Tapered-wall buckets.
- Tough No. 4 canvas.
- Equipped with Cat. No. 2012 swivel snap hook.
- Black molded polypropylene bottom.
- Rope handle.

Cat. No.	Top Diameter	Bottom Diameter	Height	Outside Pockets	Extra Features	Weight (lbs.)
5171PS	12" (305 mm)	9" (229 mm)	12" (305 mm)	4 outside pockets	swivel snap (Cat. No. 2012)	2.20
5172PS	12" (305 mm)	9" (229 mm)	12" (305 mm)	15 inside pockets	swivel snap (Cat. No. 2012)	2.35



5171PS

5172PS

All dimensions are in inches and (millimeters).



# Canvas Buckets

## Oval Bucket with 41 Pockets

Additional Features:

- 26 pockets inside and 15 pockets outside.
- No. 6 canvas.
- Tripod suspension rope for greater stability.
- Equipped with Cat. No. 2012 swivel snap hook.
- Black molded polypropylene bottom.

Cat. No.	Length	Width	Height	Pockets	Extra Features	Weight (lbs.)
5152S	14" (356 mm)	7" (177 mm)	10" (254 mm)	26 inside pockets 15 outside pockets	swivel snap (Cat. No. 2012)	2.46



5152S

## Oval Bucket with 15 Interior Pockets

Additional Features:

- No. 6 canvas.
- Tripod suspension for greater stability.
- Equipped with Cat. No. 2012 swivel snap hook.
- Black molded polypropylene bottom.
- Rope handle.

Cat. No.	Length	Width	Height	Pockets	Extra Features	Weight (lbs.)
5144S	14" (356 mm)	7" (177 mm)	10" (254 mm)	15 inside pockets	swivel snap (Cat. No. 2012)	2.17



5144S

## Aerial-Basket Oval Bucket with 15 Interior Pockets

Additional Features:

- No. 6 canvas.
- ABS hooks are resistant to temperature changes.
- Supplied with two Cat. No. 5144H hooks.
- Black molded polypropylene bottom.
- Replacement hooks available Cat. No. 5144H.

Cat. No.	Length	Width	Height	Pockets	Extra Features	Weight (lbs.)
5144	14" (356 mm)	7" (177 mm)	10" (254 mm)	15 inside pockets	two ABS hooks (Cat. No. 5144H)	2.05



5144

## Aerial-Basket Tool Carrier

- Heavy-duty vinyl.
- Equipped with tool loops, tool holster, knife sheath, and small parts bag to keep tools organized.
- Hangs inside aerial basket to make tools readily available.
- Stiffening rod across the top holds carrier straight.
- Replacement hooks available Cat. No. 5144H.

Cat. No.	Height	Width	Weight (lbs.)
5169	21" (533 mm)	19" (483 mm)	2.85



5169

All dimensions are in inches and (millimeters).



## Line-Hose Bag

- No. 6 canvas with Cicolac top ring and molded bottom.
- Large enough to accommodate several pieces of hose.
- Can also be used to raise protective rubber blankets that are rolled.
- **Leather** cuff extends 3" (76 mm) up the side.
- Polypropylene rope handle is reinforced with **leather**.

Cat. No.	Diameter	Depth	Weight (lbs.)
5110-48	7" (178 mm)	48" (1219 mm)	1.91



5110-48

## Canvas Electrode Bag

- Made of tough No. 4 canvas.
- Heat-resistant, hard-**leather** bottom.
- Web loop for sliding over belt.

Cat. No.	Diameter	Front Depth	Back Depth	Weight (lbs.)
5471	2-1/2" (64 mm)	12" (305 mm)	15-1/2" (394 mm)	.25



5471

## Canvas Tapered-Bottom Bag

- No. 10 canvas.
- Two pockets are provided for small parts.
- Bottom is tapered so parts will stay in center.
- Equipped with a snap for hanging.

Cat. No.	Diameter	Depth	Weight (lbs.)
5143	6-1/2" (165 mm)	8" (203 mm)	.30



5143

## Hooks

### Swivel Snap Hook

Additional Features:

- This is **NOT** an occupational protective hook. **NOT** for human support.
- Bronze swivel snap hook made for use on hoisting canvas buckets.
- Maximum safe load is 150 lbs. (68 kg).

Cat. No.	Length	Width	Weight (lbs.)
2012	4-3/8" (111 mm)	1-5/8" (41 mm)	.28



2012

**▲WARNING:** This is NOT an occupational protective device. NOT for human support.

All dimensions are in inches and (millimeters).



## Hooks

### Hook for Aerial-Baskets

- All weather, durable, nylon 66 polymer
- Most manufacturers' aerial basket trucks accommodate bucket hook.
- Replacement hooks for both Cat. No. 5144 and Cat. No. 5169.

Cat. No.	Weight (lbs.)
5144H	.30



5144H

## Mineral Wool Bag

### Fire-Retardant Mineral Wool Bag

- Mineral-wool filled, fire-resistant non-asbestos fabric bag.
- Designed to retard the spread of heat and smoke.
- Used where conduits, pipes, cable, and wires extend through floors, walls, and ceilings.
- Bag is flexible to fit any configuration.
- Reusable bag.

Cat. No.	Length	Width	Depth	Weight (lbs.)
41115	12" (305 mm)	12" (305 mm)	1" (25 mm)	1.11



41115

## Slings

### Pole Sling

- For use where a running loop wrap around pole is desired.
- Nylon web stitched with nylon thread.
- Copper rivets with burrs at the point of wear.
- NOT an occupational protective device. NOT for human support.
- Resistant to oil, creosote, and moisture.



5606

Cat. No.	Rated Capacity (Maximum Working Load)		Overall Length	Width	Weight (lbs.)
	Choke Hitch	Basket Hitch			
5606	3000 lbs (1350 kg)	4700 lbs (2115 kg)	35" (889 mm)	2" (51 mm)	1.33

**▲WARNING:** This is NOT an occupational protective device. NOT for human support.

### Crossarm Sling

- Made of 12 plies of nylon laminated together with neoprene and pre-formed prior to vulcanization for ease in placing around the crossarm.
- D-rings are 1/4" (6 mm) welded wire securely riveted with copper rivets and burrs.
- NOT an occupational protective device. NOT for human support.
- Resistant to oil, creosote, and moisture.



5607

Cat. No.	Rated Capacity (Maximum Working Load)	Overall Length	Width	Weight (lbs.)
5607	1000 lbs (450 kg)	23-1/4" (590 mm)	1" (25 mm)	.83

**▲WARNING:** This is NOT an occupational protective device. NOT for human support.

All dimensions are in inches and (millimeters).

