
Protective Eyewear

Features:





Additional Features:



- Frame and lens ventilation channel reduces lens moisture build-up and fogging.
- Soft, flexible nosepiece provides snug non-slip fit.
- Soft, comfortable brow-guard for impact energy absorption.
- Lens available in clear and brown tint. Brown tinted lens for outdoor use, meets traffic signal color recognition of ANSI Z80.3-1996.

Cat. No.	Frame Color	Lens Color	Weight (lbs.)
60053	black	clear	.15
60054	royal blue	clear	.15
60055	black	brown tint	.15



Protective Eyewear - Frameless

Additional Features:

- Frameless, wrap-around polycarbonate lens for unobstructed vision and coverage.
- Lightweight, frameless design for all-day comfort.
- Easy-fitting universal molded-in nosepiece.
- Lens available in clear and brown tint. Brown tinted lens for outdoor use, meets traffic signal color recognition of ANSI Z80.3-1996.

Cat. No.	Frame Color	Lens Color	Weight (lbs.)
60056	black	clear	.15
60057	black	brown tint	.15



Protective Eyewear - Full Frame

Additional Features:

- Contemporary wrap-around polycarbonate lens for exceptional coverage and vision.
- Unique lens styling with side shield and brow bridge for protection.
- Easy-fitting universal molded-in nosepiece.
- Lens available in clear only.

Cat. No.	Frame Color	Lens Color	Weight (lbs.)
60058	black	clear	.15



Personal Protective Equipment

Full Face Shield

- All-plastic construction.
- High-impact, full-front cap and chin guard for extra protection.
- Free-floating ratchet head gear with full-tension adjustment and sweat band for added comfort.
- Anti-warp design resists dimensional distortion from heat and moisture.
- Ample internal window clearance.
- Big window extends past ears, providing wide-angle protection.
- Window is made of clear, tough acetate and mounts on keyhole studs which allow easy replacement.
- Meets ANSI Z87.1, 1989 and CSA Z94.3.

Cat. No.	Description	Weight (lbs.)
60060	face shield with chin guard; window dimensions: 19-1/2" W x 6-1/2" H (495 mm x 165 mm)	1.45
60061	replacement window for Cat. No. 60060 face shield	.25



60060

Protective Goggles

- General-purpose cover-type protective goggles of soft vinyl plastic.
- Comfortable and shaped to conform to facial contours.
- Fits easily over personal glasses.
- Top and bottom edges perforated for direct ventilation.
- Lightweight adjustable elastic strap.
- Meets ANSI Z87.1, 1989 and CSA Z94.3.

Cat. No.	Description	Weight (lbs.)
60040	clear, one-piece .060" acetate lens	.25
60041	replacement lens for Cat. No. 60040	.05



Disposable Dust Masks

- Comfortable, full-size mask keeps dust out, lets air in freely for dependable protection and easy breathing.
- For use around grinding and sanding operations, drilling in plaster or cement, cleaning dusty areas, and similar applications.
- Double-absorbent filter material is non-allergenic.
- Elastic band and soft, flared edges make for a comfortable fit.
- Metal nosepiece conforms to fit snugly around facial contours.
- Mask stands out away from nose and mouth, and won't collapse when wet from use or humidity.

Cat. No.	Description	Weight (lbs.)
60080	box of 50 disposable dust masks	.01



AWARNING: These masks are NOT SUITABLE for use against toxic or hazardous air contaminants. If there is any doubt, consult an industrial hygienist.



Personal Protective Equipment

Hard Caps & Liners

- High-density polyethylene hard caps meet ANSI Z89.1–1986 specifications for Class A, B, and C applications.
- Unique nape strap holds hat firmly in place.
- Washable, shrink-and stretch-proof straps and bands.
- Porous brow pad promotes ventilation for comfort.
- Caps adjust to fit all sizes.
- Full 6-point headgear suspension.
- Headband clips help hold goggles in place over eyes or on front of cap.
- Rain trough helps keep neck dry.
- Slots at sides for attaching Cat. No. 60060 face shield and other protective gear.
- Cotton-twill cap liner has orlon-pile lining for warmth.
- Washable, pre-shrunk, and flame retardant.
- Non-metallic Velcro[®] fasteners and adjustable chin straps.



60010

Cat. No.	Description	Weight (lbs.)	
60009	white hard cap with headgear	.85	
60010	yellow hard cap with headgear	.85	
60011	blue hard cap with headgear	.85	
60015	winter hard-cap liner, one size fits all	.15	
Replacement Components for Hard Caps			
Cat. No.	Description	Weight (lbs.)	
C60012	chin strap	.05	
60013	6-point suspension for Cat. Nos. 60009, 60010, 60011	.15	

Velcro® is a registered trademark of Velcro Industries.

Gloves

Deerskin Work Gloves

- Premium deerskin, soft and form-fitting for maximum comfort.
- Gunn cut with seams away from wear surfaces.
- Inseam index finger.
- Shirred-elastic wrist back.
- Natural light-tan color.

Cat. No.	Size	Weight (lbs.)
40020	small	.20
40021	medium	.22
40022	large	.23



40022

Deerskin Work Gloves - Lined

- Premium deerskin, soft and form-fitting for maximum comfort.
- Gunn cut with seams away from wear surfaces.
- Inseam index finger.
- Sheep-like pile lining.
- Shirred-elastic wrist back.
- Natural light-tan color.

Cat. No.	Size	Weight (lbs.)
40016	medium	.36
40017	large	.38
40018	extra large	.41



Cowhide Driver's Gloves

- Tough, durable, sueded cowhide leather.
- Easy-action thumb unique design allows leather to conform to your thumb and hand.
- Gunn cut with seams away from wear surfaces.
- Lap-seam index finger and shirred-elastic wrist back.
- Gray color.

Cat. No.	Size	Weight (lbs.)
40003	small	.30
40004	medium	.40
40006	large	.43



71

Cowhide Driver's Gloves - Lined

- Tough, durable, sueded cowhide leather.
- Thermolite[®] lining for warmth.
- Gunn cut with seams away from wear surfaces.
- Shirred-elastic wrist for snug fit.
- Gray color.

Cat. No.	Size	Weight (lbs.)
40014	large	.47
40015	extra large	.51



Medium-Cuff Gloves

- Heavy sueded leather.
- Full **leather** fingers, palm, and pull.
- Gunn cut with seams away from wear surfaces.
- Wing thumb, seamless index finger, elastic wrist-back strap.
- Rubberized, waterproof cuff 2-1/2" (63.5 mm) long.
- Palm and fingers have sewn-in lining.
- Pearl-gray **leather**, striped-blue cuff.

Cat. No.	Size	Weight (lbs.)
40008	large	.48



Long-Cuff Gloves

- Soft, flexible, top-grain cowhide leather.
- Leather fingers, palm, pull, and knuckle strap.
- Gunn cut with seams away from wear surfaces.
- Wing thumb, seamless index finger, elastic wrist-back strap.
- Lined palm and fingers.
- Rubberized, waterproof, bell gauntlet cuff 5" (127 mm) long.
- Light-gray **leather**, striped-blue cuff.

Cat. No.	Size	Weight (lbs.)	
40010	large	.59	
40012	extra large	.68	





Gloves

Heavyweight Jersey Gloves

- Soft, comfortable, general-purpose gloves.
- Made of 100% cotton jersey.
- Cat. No. 40002 has a knit wrist.
- Cat. No. 40001 has a fleece lining and an open cuff.
- Dark-brown color.

Cat. No.	Size	Weight (lbs.)		
40002	fits most hand sizes	.15		
40001	lined version – fits most hand sizes	.16		



40002

Safety Products

Lockouts with Interlocking Tabs

- Specifically designed for locking cut power sources such as disconnects, switches, and panel boxes.
- Double interlocking hasp of tempered steel with patented interlocking tabs for extra security.
- Hasps are bright zinc-plated.
- Riveted construction.
- Six-hole locking bodies coated with red vinyl plastic.
- Holes will accept up to 5/16" (8 mm) diameter shackles.

Cat. No.	Closed Hasp I.D. Weight (I	
45200	1" (25 mm)	.200
45201	1-1/2" (38 mm)	.250

AWARNING: Use only in accordance with OSHA requirements.



45201

Barricade and Warning Tapes

- Bold, black lettering on bright, long-lasting color backgrounds.
- Yellow background for CAUTION/CAUTION tape.
- Red background for CAUTION-BURIED ELECTRIC LINE tape.
- Made of tough, heavy-gauge (4 mil) polyethylene.
- Highly resistant to acids, alkalis, and other soil components.
- Tapes are 3" (76 mm) wide, and are available in either 200' or 1000' rolls.



58000

Cat. No.	Description	Width	Length	Weight (lbs.)
58000	CAUTION /CAUTION legend with black letters on bright-yellow background	3" (76 mm)	200' (61 m)	.900
58001	CAUTION /CAUTION legend with black letters on bright-yellow background	3" (76 mm)	1000' (305 m)	3.600
58002	CAUTION – BURIED ELECTRIC LINE legend with black letters on bright-red background	3" (76 mm)	200' (61 m)	.800
58003	CAUTION – BURIED ELECTRIC LINE legend with black letters on bright-red background	3" (76 mm)	1000' (305 m)	3.500



