

Terminals

60000 Series Insulated Bell-Mouth Terminals

- Flared, vinyl insulated sleeve to allow easier insertion of the wire, or wires with extra-heavy-duty insulation.
- Insulation is color coded to indicate wire size; red for 22-18 gauge, blue for 16-14 gauge, and yellow for 12-10 gauge.
- 100 pieces per reusable C-Pack.

Ring Tongue		C-Pack Cat. No.	D-Pack Cat. No.	D-Pack Quantity	Sleeve Color	Wire Size	Stud Size	Hole Diameter	Length	Width	Weight Per (oz.)
	Ring Tongue										
C61206		C61204			red		4		51/64"	15/64"	.0224
		C61205	D61205	11	red	22-18	5-6	9/64"	51/64"	7/32"	.0256
C61210		C61206			red		5-6			9/32"	.0224
C61214		C61208	D61208	11	red	22-18	8	11/64"	7/8"	21/64"	.0288
C61238		C61210	D61210	11	red	22-18	10	13/64"	7/8"	21/64"	.0288
C61304		C61214		9	red	22-18	1/4	17/64"	1-1/8"	15/32"	.0427
C61305		C61238	D61238	9	red	22-18	3/8		1-17/64"	17/32"	.0391
C61308		C61304		_	blue	16-14	4	1/8"	51/64"	1/4"	.0288
C61310		C61305	D61305	11	blue	16-14	5-6	9/64"	51/64"	1/4"	.0288
C61314		C61308	D61308	11	blue	16-14	8	11/64"	61/64"	21/64"	.0352
C61338		C61310	D61310	11	blue	16-14	10	13/64"	61/64"	21/64"	.032
C61406		C61314	D61314	9	blue	16-14	1/4	17/64"	1-5/32"	15/32"	.0462
C61408		C61338	D61338	9	blue	16-14	3/8	25/64"	1-19/64"	17/32"	.0462
C61410		C61406		_	yellow	12-10	4-6	9/64"	1-1/32"	3/8"	.064
C61414		C61408	D61408	9	yellow	12-10	8	11/64"	1-1/32"	3/8"	.0569
C61438		C61410	D61410	9	yellow	12-10	10	13/64"	1-1/32"	3/8"	.064
C63204		C61414	D61414	7	yellow	12-10	1/4	17/64"	1-19/64"	33/64"	.0869
C63204		C61438	D61438	7	yellow	12-10	3/8	25/64"	1-13/32"	19/32"	.0823
C63206	Spade Tongue										
C63208		C63204	T-	_	red	22-18	4	1/8"	3/4"	19/64"	.0192
C63210		C63206	D63206	11	red	22-18	5-6	9/64"	27/32"	19/64"	.0256
C63306		C63208	D63208	11	red	22-18	8	11/64"	59/64"	13/32"	.0352
C63308		C63210	D63210	11	red	22-18	10	13/64"	59/64"	13/32"	.0352
C63310	100	C63306	D63306	11	blue	16-14	4-6	9/64"	55/64"	19/64"	.0288
C63406		C63308	D63308	11	blue	16-14	8	11/64"	61/64"	13/32"	.0352
C63408		C63310	D63310	11	blue	16-14	10	13/64"	61/64"	13/32"	.0352
C63410 D63410 9 yellow 12-10 10 13/64" 1-1/32" 13/32" .0604		C63406	1_	_	yellow	12-10	4-6	9/64"	63/64"	11/32"	.0672
Mook Tongue		C63408	D63408	9	yellow	12-10	8	11/64"	63/64"	11/32"	.0533
C65206		C63410	D63410	9	yellow	12-10	10	13/64"	1-1/32"	13/32"	.0604
C65206			D64206*	11	red		4-6	9/64"		19/64"	.0224
C65206	Hook Tongue										
C65208		C65206	_	_	red	22-18	4-6	9/64"	57/64"	11/32"	.0288
C65210			D65208	11						_	
C65306 — — blue 16-14 4-6 9/64" 53/64" 19/32" .0288 C65308 D65308 11 blue 16-14 8 11/64" 57/64" 11/32" .032 C65310 — — blue 16-14 10 13/64" 15/16" 13/32" .0256 Butt Connectors Butt Connectors — yellow 12-10 10 13/64" 1-1/32" 13/32" .0608 Butt Connectors — 1-1/16" — 9 9 1-1/16" — 1-1/16" — .0384 C67302 D67302 11 blue 16-14 — — 1-1/16" — .048 C67402 D67402 9 yellow 12-10 — — 1-1/16" — .0888 Pigtail Connectors			_								
C65308 D65308 11 blue 16-14 8 11/64* 57/64* 11/32* .032 C65310 — — blue 16-14 10 13/64* 15/16* 13/32* .0256 C65410 — — yellow 12-10 10 13/64* 1-1/32* 13/32* .0608 Butt Connectors C67202 D67202 11 red 22-18 — — 1-1/16* — .0384 C67302 D67302 11 blue 16-14 — — 1-1/16* — .048 C67402 D67402 9 yellow 12-10 — — 1-1/16* — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — — 49/64* 5/16* .0256			1_							_	
C65310 — — blue 16-14 10 13/64* 15/16* 13/32* .0256 Butt Connectors C67202 D67202 11 red 22-18 — — 1-1/16* — .0384 C67302 D67302 11 blue 16-14 — — 1-1/16* — .048 C67402 D67402 9 yellow 12-10 — — 1-1/16* — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — — 49/64* 5/16* .0256	/										
Butt Connectors Vellow 12-10 10 13/64 ° 1-1/32° 13/32° .0608 Butt Connectors Vellow 12-10 10 13/64 ° 1-1/32° 13/32° .0608 Butt Connectors Vellow 12-10 — — 1-1/16 ° — .0384 C67302 D67302 11 blue 16-14 — — 1-1/16 ° — .048 C67402 9 yellow 12-10 — — 1-1/16 ° — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — — 49/64° 5/16° .0256			_								
Butt Connectors C67202 D67202 11 red 22-18 — — 1-1/16* — .0384 C67302 D67302 11 blue 16-14 — — 1-1/16* — .048 C67402 D67402 9 yellow 12-10 — — 1-1/16* — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — — 49/64* 5/16* .0256			+_								
C67202 D67202 11 red 22-18 — 1-1/16 ° — .0384 C67302 D67302 11 blue 16-14 — 1-1/16 ° — .048 C67402 D67402 9 yellow 12-10 — — 1-1/16 ° — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — — 49/64 ° 5/16 ° .0256	Rutt Connectors	000110			yonow	12 10	10	10/01	1 1/02	10/02	.0000
C67302 D67302 11 blue 16-14 — 1-1/16* — .048 C67402 D67402 9 yellow 12-10 — 1-1/16* — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — 49/64* 5/16* .0256	Dutt Comitotions	C67202	D67202	11	red	22-18			1-1/16 "		0384
C67402 D67402 9 yellow 12-10 — 1-1/16* — .0888 Pigtail Connectors C67203 D67203 11 — 16-14 — 49/64* 5/16* .0256										-	
Pigtail Connectors C67203 D67203 11 — 16-14 — 49/64* 5/16* .0256								_			
C67203 D67203 11 — 16-14 — — 49/64" 5/16" .0256	Pintail Connectors	001702	D01402	J	yonow	12-10			1-1/10		.0000
and the second s	i igian connectors	C67202	D67202	11		16 14			10/61 ⁿ	5/16"	0256
C67405** D67405 10 — 12-10 — 21/32" 27/64" .048		007200	שטו 203	11	_	10-14	_	_	45/04	3/10	.0200
	- America	C67405**	D67405	10	_	12-10	_	_	21/32"	27/64"	.048
						-			-		

^{*} With flange. ** This item packaged 50 pieces per C-Pack.

250

Quick Connects

ht Per (oz.)

^{*} This item packaged 50 pieces per C-Pack.

Terminal Sets

Insulated Terminal Kit

- Contains a total of 158 pieces in 15 assorted single-grip insulated terminal styles for a wide variety of general-purpose applications.
- Kit comes in a sturdy see-thru plastic box with 15 compartments, one for each terminal style, for easy organization.
- Includes 158 total terminals of the following; 61205, 61210, 61305, 61310, 61410, 61414, 63206, 63210, 63306, 63310, 67202, 67302, 67402, 68202, and 68305.

Cat. No.	Length	Width	Height	Weight (lbs.)
89976	8-3/4" (222 mm)	4" (102 mm)	1" (25 mm)	.72



Insulated Connect-All Kit

- Contains a total of 74 pieces in 10 assorted single-grip terminal styles for a wide variety of general-purpose applications.
- Kit comes in a sturdy see-thru plastic box with molded tray for easy organization.
- Includes 74 total terminals of the following; 61210, 61310, 61410, 61414, 63310, 64206, 67202, 67302, 67402, and 68305.

Cat. No.	Length	Width	Height	Weight (lbs.)
2398	6-1/2" (165 mm)	5-1/2" (140 mm)	1-5/16" (33 mm)	.49





The same of the sa

Nylon Cable Ties

Cable Ties - Standard


- Available in E-Packs of assorted quantities, C-Packs of 100 ties.
- Lengths range from 4-3/16" (107 mm) through 15-1/2" (394 mm), for bundle diameters of 3/4" (19 mm) through 4-1/2" (114 mm).
- Locks permanently in place when pulled tight.
- All-nylon construction.

Uniform serrations along the length of the tie permit easy pull-through and eliminate slippage.

C-Pack Cat. No.	Quantity Per Pak	E-Pack Cat. No.	Quantity Per Pak	Maximum Bundle Diameter	Minimum Tensile Strength	Overall Length	Color	Weight Per 10 Pieces (lbs.)
C70412	100	E70412	40	3/4" (19 mm)	18 lbs.	4-3/16" (106 mm)	natural	.006
C70413	100	E70413	32	1-1/4" (32 mm)	30 lbs.	5-3/4" (146 mm)	natural	.01
C70414	100	E70414	20	2" (51 mm)	50 lbs.	8" (203 mm)	natural	.04
C70415	100	E70415	12	4-1/2" (114 mm)	50 lbs.	15-1/2" (394 mm)	natural	.06

Cable Tie – Reusable

- Cat. No. E70416 comes in an E-Pack of 12 ties.
- 8" (203 mm) long, for bundle diameters of up to 1-1/2" (13 mm).
- Locks tightly in place when installed, but can be easily released and reused.
- All-nylon construction.
- Uniform serrations along the length of the tie permit easy pull-through and eliminate slippage.



C70414

E-Pack	Quantity	Maximum Bundle	Minimum Tensile	Overall	Color	Weight
Cat. No.	Per Pak	Diameter	Strength	Length		(lbs.)
E70416	12	1-1/2" (38 mm)	50 lbs.	8" (203 mm)	black	.04

Cable Tie Assortment Packs

• Contain various quantities of the most-used cable ties plus holders.

Cat. No.	Contains	Weight (lbs.)
E70417	32-piece assortment contains twenty style Cat. No. 70412 ties, ten style Cat. No. 70413 ties, and two adhesive-back holders	.05
E70418	28-piece assortment contains twelve style Cat. No. 70412 ties, eight style Cat. No. 70413 ties, six style Cat. No. 70414 ties, and two adhesive-back holders	.05