


# Tool Sets

Some projects are more complex than others and require a variety of tools to be used. For this reason, Klein has tool kits to assist professionals with these demanding projects.

F O R P R O F E S S I O N A L S . . . S I N C E 1 8 5 7 ®



Tool Sets



# Tool Sets

## 41-Piece Journeyman™ Tool Set

**JOURNEYMAN**

- Comfortable and durable tools for the professional.

| Cat. No. | Set Contains | Weight (lbs.) |
|----------|--------------|---------------|
| 80141    |              | 29.8          |

| Cat. No.    | Description   |
|-------------|---|
| BLK12       | 12-piece ball-end hex-key caddy set – inch  |
| J203-6      | Journeyman™ standard long-nose pliers   |
| J203-8N     | Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping                  |
| J502-10     | 10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity                        |
| D507-8      | 8" adjustable wrench – extra capacity   |
| D507-12     | 12" adjustable wrench – extra capacity  |
| 600-1       | 1/4" keystone-tip cushion-grip screwdriver – 1-1/2" (40 mm) round-shank             |
| 600-4       | 1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank    |
| 601-3       | 3/16" cabinet-tip cushion-grip screwdriver – 3" (76 mm) round-shank                 |
| 601-6       | 3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank                |
| 602-6       | 5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank    |
| 603-1       | No. 2 Phillips cushion-grip screwdriver – 1-1/2" (40 mm) round-shank                |
| 603-3       | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank                    |
| 603-4B      | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank      |
| 605-6       | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank      |
| 631         | 7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2") |
| 650         | cushion-grip scratch awl  |
| 662         | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank          |
| 670-6       | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Drive®                            |
| 916-25RE    | 25' x 1" power-return rule – magnetic tip   |
| 931-9RE     | torpedo level - magnetic  |
| J1005       | Journeyman™ crimping/cutting tool – non-insulated and insulated connectors          |
| K1412       | Klein-Kurve™ dual NM cable stripper/cutter  |
| J2000-9NETP | Journeyman™ high-leverage side-cutting pliers – fish tape pulling                   |
| J2000-48    | Journeyman™ high-leverage diagonal-cutting pliers – angled head                     |
| 5003-18     | 18" 10-pocket canvas tool bag with leather bottom                                   |
| 5139        | canvas zipper bag   |
| 11055       | Klein-Kurve® wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded            |
| 44107       | Klein-Kurve® heavy-duty utility knife – quick change retractable blade              |
| 46037       | cable-splicer's kit   |
| 50211       | 120' Speedway® flat-steel fish tape – Grip-It® handle                               |
| 58889       | padded adjustable shoulder strap  |
| 60053       | standard protective eyewear   |
| J63050      | Journeyman™ high-leverage cable cutter  |
| 85191       | conduit-fitting and reaming screwdriver   |



80141

All dimensions are in inches and (millimeters) unless otherwise specified.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**▲WARNING:** Do NOT use screwdrivers to pry or chisel.

**▲WARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

**▲WARNING:** When working with fish tape, always use safe work position to avoid loss of balance.

**▲WARNING:** Never remove screws while fish tape is coiled inside reel.



## 28-Piece Electrician Tool Set

● A great assortment of tools for the electrician.

| Cat. No. | Set Contains | Weight (lbs.) |
|----------|--------------|---------------|
| 80028    |              | 17.2          |

| Cat. No.   | Description   |
|------------|---|
| D203-8     | heavy-duty long-nose pliers – side-cutting  |
| D213-9NETP | high-leverage side-cutting pliers – fish tape pulling                               |
| D248-8     | high-leverage diagonal-cutting pliers – angled head                                 |
| D502-10    | 10" pump pliers with 1-3/4" (44 mm) jaw capacity                                    |
| 506-10     | 10" adjustable wrench – standard capacity   |
| 600-4      | 1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank    |
| 601-6      | 3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank                |
| 602-6      | 5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank    |
| 603-4B     | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank      |
| 605-6      | 1/4" cabinet-tip screwdriver – 6" (152 mm) heavy-duty round-shank                   |
| 631        | 7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2") |
| 662        | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank          |
| 670-6      | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Drive®                            |
| 908-25     | 25' x 1" power-return rule – double-sided   |
| 930-9      | magnetic torpedo level  |
| 1005       | crimping/cutting tool – non-insulated and insulated connectors                      |
| 5102-16    | 16" canvas tool bag   |
| 5139       | canvas zipper bag   |
| 11045      | wire stripper/cutter – 10-18 AWG solid wire   |
| 44100      | utility knife – retractable blade   |
| 60056      | frameless protective eyewear  |
| 85191      | conduit-fitting and reaming screwdriver   |



80028

Tool Sets



All dimensions are in inches and (millimeters) unless otherwise specified.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**▲WARNING:** Do NOT use screwdrivers to pry or chisel.

**▲WARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

# Tool Sets

## 18-Piece Journeyman Tool Set **JOURNEYMAN**

- Comfortable and durable tools for the professional.

| Cat. No. | Set Contains | Weight (lbs.) |
|----------|--------------|---------------|
| 80118    |              | 11.6          |

| Cat. No.    | Description  |
|-------------|--|
| J203-8N     | Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping             |
| J502-10     | 10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity                   |
| D507-10     | 10" adjustable wrench – extra capacity   |
| 603-3       | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank               |
| 603-4B      | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank |
| 605-4       | 1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank |
| 605-6       | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank |
| 630-1/4     | 1/4" cushion-grip nut driver – 3" (76 mm) shank                                |
| 630-5/16    | 5/16" cushion-grip nut driver – 3" (76 mm) shank                               |
| 662         | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank     |
| 670-6       | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Drive®                       |
| 916-25RE    | 25' x 1" power-return rule – magnetic tip                                      |
| J2000-9NETP | Journeyman™ high-leverage side-cutting pliers – fish tape pulling              |
| J2000-48    | Journeyman™ high-leverage diagonal-cutting pliers – angled head                |
| 5165        | 10-pocket leather tool pouch   |
| 5705        | Powerline™ web work belt   |
| 11055       | Klein-Kurve® wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded       |
| 60053       | standard protective eyewear  |



80118



All dimensions are in inches and (millimeters) unless otherwise specified.

**▲WARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

**▲WARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**▲WARNING:** Do NOT use screwdrivers to pry or chisel.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.



## 14-Piece Electrician Tool Set

● A great assortment of tools for the electrician.

| Cat. No.   | Set Contains   | Weight (lbs.) |
|------------|--|---------------|
| 80014      |  | 9.6           |
| Cat. No.   | Description  |               |
| D203-8     | heavy-duty long-nose pliers – side-cutting                                     |               |
| D213-9NETP | high-leverage side-cutting pliers – fish tape pulling                          |               |
| D248-8     | high-leverage diagonal-cutting pliers – angled head                            |               |
| D502-10    | 10" pump pliers with 1-3/4" (44 mm) jaw capacity                               |               |
| 603-3      | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank               |               |
| 603-4B     | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank |               |
| 605-4      | 1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank |               |
| 605-6      | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank |               |
| 670-6      | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Drive®                       |               |
| 908-25     | 25' x 1" power-return rule – double-sided                                      |               |
| 5164       | 8-pocket leather tool pouch  |               |
| 5225       | adjustable web tool belt   |               |
| 11045      | wire stripper/cutter – 10-18 AWG solid wire                                    |               |
| 60056      | frameless protective eyewear   |               |



80014

## Electrician's Tool Set

- Perfect kit for the professional or apprentice.
- 7-pocket **leather** tool pouch holds an assortment of 10 products.

| Cat. No.   | Set Contains   | Weight (lbs.) |
|------------|--|---------------|
| 5300       |  | 6.82          |
| Cat. No.   | Description  |               |
| 5166       | 7-pocket leather tool pouch  |               |
| 5225       | adjustable web belt  |               |
| 603-3      | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank               |               |
| 603-4      | No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank              |               |
| 605-4      | 1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank |               |
| 605-6      | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank |               |
| 11045      | wire stripper/cutter – 10-18 AWG solid wire                                    |               |
| D248-8     | high-leverage diagonal-cutting pliers – angled head                            |               |
| D203-8     | heavy-duty long-nose pliers – side-cutting                                     |               |
| D213-9NETP | high-leverage side-cutting pliers – fish tape pulling                          |               |
| D502-10    | pump pliers with 1-3/4" (44 mm) jaw capacity                                   |               |
| 928-25HV   | high-visibility power-return measuring tape                                    |               |



5300

All dimensions are in inches and (millimeters) unless otherwise specified.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** Do NOT use screwdrivers to pry or chisel.

**▲WARNING:** Always wear approved eye protection.

**▲WARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

**▲WARNING:** NOT insulated. Cushion Grip screwdriver handles and plastic-dipped or slip-on plastic handles are provided primarily for comfort. They are NOT intended for protection against electrical shock.

**▲WARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**▲WARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.



# TRUST

You've earned your customers' trust through years of dependability and performance on the job. Your customers count on you. And you need tools you can count on. You can trust in Klein for all of your hand tool needs.

*Terry Malone*  
Electrician  
3 Years

**KLEIN TOOLS**  
For Professionals... Since 1857®

Chicago, IL U.S.A.  
[www.kleintools.com](http://www.kleintools.com)

Professionals Are Known By The Tools They Own™ © 2001 Klein Tools

