

AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

35 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.



35
LBS .4
PN 133835
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

35C
LBS .4
PN 140007
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

35HF
LBS .4
PN 140008
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers


35HFF
LBS .6
PN 140009
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

37 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

RIDGE BREAKER FAS-N-LOK® TEETH

Use Holders: T35 and T36



37
LBS .5
PN 140027
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

37HF
LBS .6
PN 140010
BKT QTY 50
CS, AG Aggressor®, TriMax® Augers

1336L
LBS .6
PN 140016
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

RB-36L
LBS .6
PN 140021
BKT QTY 100
CS, AG Aggressor®, TriMax® Augers

IMAGES NOT TO SCALE

AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

5T30 SERIES FAS-N-LOK® TEETH

Use Holders: T35 and T36

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.


5T30
LBS | .4
PN | 140029
BKT QTY | 100

 CS, AG Aggressor®,
TriMax® Augers

5T30C
LBS | .4
PN | 140012
BKT QTY | 50

 CS, AG Aggressor®,
TriMax® Augers


5T30HF
LBS | .4
PN | 140014
BKT QTY | 50

 CS, AG Aggressor®,
TriMax® Augers

RB5T30
LBS | .6
PN | 140013
BKT QTY | 100

 CS, AG Aggressor®,
TriMax® Augers


Pictured Left
TriMax® Auger with
37 Gage and 5T30
Fas-N-Lok® Teeth
drilling in frozen soil.



CHISEL POINT TEETH

Easily penetrates compacted soil, sandstone, hardpan, and caliche. Chisel Point Teeth are to be used in the inside holders of the auger head..

IMAGES NOT TO SCALE

AUGER TEETH DIRT




DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

1650 SERIES FAS-N-LOK® TEETH

Use Holders: 1XS, BT-100, WT-50

Developed in 2008, the only tooth of it's kind, the Fas-N-Lok® tooth comes complete with vulcanized rubber attached to the tooth, providing quick and easy installation.




1650
LBS .5
PN 140200
BKT QTY 50
Utility Augers

1652
LBS 1.1
PN 140020
BKT QTY 50
Utility Augers

1652HF
LBS 1
PN 140086
BKT QTY 50
Utility Augers

1851
LBS .5
PN 140017
BKT QTY 50
Utility Augers

50 PC. BUCKET
LBS 25
PN 850219



1656
LBS .6
PN 140005
BKT QTY 25
Utility Augers

RB56
LBS .6
PN 140022
BKT QTY 25
Utility Augers

1658
LBS .6
PN 140006
BKT QTY 25
Utility Augers

RB58
LBS .6
PN 140015
BKT QTY 25
Utility Augers

25 PC. BUCKET
LBS 15
PN 850204

25 PC. BUCKET
LBS 15
PN 850220

25 PC. BUCKET
LBS 15
PN 850205

25 PC. BUCKET
LBS 15
PN 850221

IMAGES NOT TO SCALE

AUGER TEETH DIRT







DIRT TEETH | FAS-N-LOK®

FAS-N-LOK

2070 SERIES FAS-N-LOK® TEETH

Use Holders: 1ASR, WA70, FA70



2070

LBS | 2

PN | 140002

BKT QTY | 20

Pressure Digger
Augers

20 PC. BUCKET

LBS | 40

PN | 850222



2072

LBS | 2.3

PN | 140000

BKT QTY | 20

Pressure Digger
Augers

20 PC. BUCKET

LBS | 46

PN | 850223



2077

LBS | 2.3

PN | 140003

BKT QTY | 20

Pressure Digger
Augers



2078

LBS | 2.4

PN | 140004

BKT QTY | 20

Pressure Digger
Augers



2079

LBS | .6

PN | 140001

BKT QTY | 20

Pressure Digger
Augers

IMAGES NOT TO SCALE

AUGER TEETH DIRT



DIRT TEETH | FAS-N-LOK®



R55 SERIES FAS-N-LOK® TEETH

Use Holders: B-255, C-355, E-555



7R55
LBS 1
PN 140018
BKT QTY 50
Pressure Digger & Foundation Augers

16R55
LBS 1
PN 140019
BKT QTY 50
Pressure Digger & Foundation Augers

16R51
LBS 1.1
PN 140509
BKT QTY 50
Pressure Digger & Foundation Augers



Released in 1984 the 16R51 Bident Tooth was developed with a thin profile for easy penetration and cross-ribbing of points for added strength to break out compacted soils. The "web" of metal between the ribs carries dirt out of the hole. The above teeth are forged of high alloy steel and heat treated for hardness.