


PARTS



LET'S BREAK GROUND TOGETHER



www.pengoattachments.com | 800.599.0211

powerful construction attachments

Parts Catalog

PILOT BITS | UTILITY
TRIFLOW

TRIFLOW® 600

Dirt Pilot Bit

- Patented Pilot Bit
- Three-fluted design for longer wear
- For use with MD Dirt and Quick Change Augers

Use PA-183-L Pilot Bit Adapter

LBS 8.5

PN 137357

TRIFLOW

TRIFLOW® 600

Dirt Pilot Bit with 1 3/4" Stem

- Patented Pilot Bit
- Three-fluted design for longer wear
- For use with MD Dirt and Quick Change Augers

LBS 16

PN 137331

P-6000

Dirt Pilot Bit

- For use with MD Step Rock and Quick Change Augers in Solid, Non-Fracturable Rock

LBS 8

PN 151275

P-1650


Dirt Pilot Bit Assembly

- For use with MD Dirt and Quick Change Augers

Includes:

- 2 - 1851 Fas-N-Lok® Teeth
- 2 - 1652 Dirt Gage Fas-N-Lok® Teeth
- 1 ea. - G5 1/2-14 Hex Bolt and Nut

LBS 20

PN 131726

P-1656

Pilot Bit Assembly

- For use with MD Augers in High Abrasion, Frozen Soil with Low Impact

Includes:

- 2 - 1851 Fas-N-Lok® Teeth
- 2 - 1652 Dirt Gage Fas-N-Lok® Teeth
- 1 ea. - G5 1/2-14 Hex Bolt and Nut

LBS 24

PN 131727

RCP-6.5

Pilot Bit Assembly

- For use with MD Augers in Fracturable Rock

Includes:

- 5 - S-387LR Bullet Teeth
- 1 - PC-387 Bullet Tooth
- 1 - CP-18 Center Point
- 1 ea. - G5 1/2-13 Hex Bolt and Nut

Use Center Point 16 (132524) or 18 (151272)

LBS 18

PN 132116

PILOT BITS | UTILITY

50-TCH-171L Pilot

Tungsten Carbide Head

Pilot Bit Assembly

- For use with MD Step Rock Augers
- Solid, Non-fracturable rock

Includes:


- 1 ea. - G5 1/2-16 Hex Bolt and Nut

LBS 6.5

PN 133266

Additional TCH Pilots:

45-TCH-171M	4.5 lbs.	PN 133578
5.5-TCH-171L	6.1 lbs.	PN 133267
6.5-TCH-171L	8.3 lbs.	PN 133268
8.5-TCH-171L	9.9 lbs.	PN 133269
9.5-TCH-171L	11 lbs.	PN 133270


FH-205

Screw Bit Pilot Assembly

- For use with MD Dirt and Quick Change Augers
- Abrasive, Frozen Soil with Low Impact

Includes:


- 1 ea. - G5 3/8-16 Hex Bolt and Nut

LBS 2.68

PN 157382

Additional FH-205 Pilots:

FH-205C	2.1 lbs.	PN 132260
FH-205CXC	2.1 lbs.	PN 132825
FH-205HF	2.1 lbs.	PN 137275
FH-205HFTC	3.7 lbs.	PN 133264
FH-205HFF	3 lbs.	PN 132201


SB-50

Screw Bit Pilot Assembly

- For use with MD Dirt Augers
- Abrasive, Frozen Soil with Low Impact

Includes:

- 1 ea. - G5 1/2-16 Hex Bolt and Nut

Use PA-183-L Pilot Bit Adapter

LBS 3.4

PN 131728

Additional Screw Bit Pilots:

SB-50C	3.4 lbs.	PN 131751
SB-50HF	3.6 lbs.	PN 132937
SB-50HFTC	3.1 lbs.	PN 132624
SB-60	4.4 lbs.	PN 132029
SB-60C	4.6 lbs.	PN 132803
SB-60CXC	4.6 lbs.	PN 133252
SB-60HF	4.6 lbs.	PN 133251
SB-60HFTC	5.5 lbs.	PN 133254
SB-70	4.5 lbs.	PN 132185
SB-70C	4.8 lbs.	PN 132368
SB-70CXC	4.9 lbs.	PN 133255
SB-70HF	4.5 lbs.	PN 132960
SB-70HFTC	4.6 lbs.	PN 133256
SB-80	5.5 lbs.	PN 132198
SB-80C	5.4 lbs.	PN 132638
SB-80CXC	5.4 lbs.	PN 133258
SB-80HF	5.4 lbs.	PN 133257
SB-80HFTC	5.4 lbs.	PN 133259
SB-90	5.8 lbs.	PN 132552
SB-90C	5.8 lbs.	PN 133260
SB-90CXC	5.8 lbs.	PN 133261
SB-90HF	5.5 lbs.	PN 132898
SB-90HFTC	5.8 lbs.	PN 133271
SB-100	6.3 lbs.	PN 132363
SB-100C	6.2 lbs.	PN 132903
SB-100HFTC	6.3 lbs.	PN 133272

SIZE GUIDE:

50 = 5", 60 = 6", 70 = 7", 80 = 8", 90 = 9", and 10 = 10"

RRP-MD ROCK RIPPER®

Rock Pilot Bit Assembly

- Patented Rock Pilot for Rock Ripper Augers
- Features NEW Strata SR76 Teeth
- Use in Hard Rock Applications

Includes:


- 4 - SR-76 Bullet Teeth
- 1 ea. - G5 1/2-13 Hex Bolt and Nut

LBS 16

PN 134675

Additional Rock Ripper Pilots:

RR-1.75 SQ	15 lbs.	PN 137208
RR-API/C20	17 lbs.	PN 157406



PILOT BITS | CONSTRUCTION

TRIFLOW® 350

Dirt Pilot Bit

- Patented Pilot Bit
- Three-fluted design for longer wear
- For use with Pengo AGGRESSOR, TriMax and Ag Max Augers

Does not include Hex Bolt/Nut


LBS 5

PN 135088


*SHOWN:
CS Auger
with SB-25 Pilot
and
35 Series
Fas-N-Lok®
Teeth*

SIZE GUIDE:

25 = 2 1/2", 30 = 3",
35 = 3 1/2",
and 45 = 4 1/2"


SB-25

Screw Bit Pilot Bit Assembly

- Use with CS Augers
- Abrasive, Frozen Soil with Low Impact
- Use PA-183-L Pilot Bit Adapter

Includes:

1 ea. G5 5/16 Hex Bolt and Nut

LBS .6


PN 131740

SB-35 175

Screw Bit Pilot

- Use with AG AGGRESSOR
- Abrasive, Frozen Soil with Low Impact

LBS 3.9

PN 151318

RRP-1.75 SQ

Rock Ripper® Pilot Bit Assembly

- Patented Rock Pilot for Rock Ripper Augers
- Features NEW Strata SR76 Teeth
- Use in Hard Rock Applications

Includes:

4 - SR-76 Bullet Teeth

1 ea. - G5 1/2-13 Hex Bolt and Nut

LBS 15

PN 137208

Screw Bit Pilots

SB-25C	.6 lbs.	PN 132135
SB-25CXC	.9 lbs.	PN 132758
SB-25HF	1.5 lbs.	PN 132266
SB-25HFTC	1.4 lbs.	PN 132590
SB-30	1.4 lbs.	PN 131766
SB-30C	1.5 lbs.	PN 131764
SB-30CXC	1.5 lbs.	PN 131765
SB-30HF	1.6 lbs.	PN 132359
SB-30HFTC	1.6 lbs.	PN 133250
SB-35	1.2 lbs.	PN 133402
SB-35C	1.2 lbs.	PN 133403
SB-35CXC	1.2 lbs.	PN 133404
SB-35HF	2.1 lbs.	PN 133405
SB-35HFTC	2.8 lbs.	PN 133406
SB35SQ	2.8 lbs.	PN 136809
SB35SQ HF	4 lbs.	PN 136816
SB-45	3.0 lbs.	PN 133407
SB-45C	3.1 lbs.	PN 133408
SB-45CXC	3.3 lbs.	PN 133409
SB-45HF	3.2 lbs.	PN 133410
SB-45HFTC	3.2 lbs.	PN 133411

HF = Hard-faced

Hardfaced dirt teeth and pilot are for use in abrasive soil.

C = Carbide Tipped

Carbide tipped dirt pilots are for use in highly abrasive soil and frozen ground.

CXC = Carbide

Carbide dirt teeth and pilot are for use in highly abrasive soil and frozen ground.

HFTC = Hard-faced Carbide

Hardfaced Tungsten Carbide dirt teeth and pilot are for use in abrasive and high impact soil.

PILOT BITS | FOUNDATION

TRIFLOW® 1000

Dirt Pilot Bit Assembly

- Patented Pilot Bit
- Three-fluted design for longer wear
- For use with Pressure Digger, Foundation and ACIP Augers

Includes:

1 ea. - G5 3/4-10 Hex Bolt and Nut

LBS 20

PN 137348

B47-10

Rock Pilot Bit Assembly

- 4" Square Stem
- Features the New STRATA SR122 Conical Teeth
- Use with 1 1/2" Foundation Rock and Spiral Rock Augers

Includes:

4 - SR-122 Bullet Teeth

1 - G8 1-8 Hex Bolt

1 - G5 1-8 Hex Nut

LBS 72

PN 135965

Additional B47 Pilots:

B47-HF 78 lbs. PN 159216


C31HD-8.5

Rock Pilot Bit Assembly

Includes:

4 - SR-100 Bullet Teeth

1 ea. - G5 3/4-10 Hex Bolt and Nut

For use with 1" Single Row, Double Row, Combo Drilling Bucket, ACIP and Pressure Augers in Undesirable Rocky Conditions

LBS 30

PN 135913

Additional C31HD Pilots:

C31HD 8.5 HF 33 lbs. PN 135939


C31HD 8.5 HFCH 35 lbs. PN 135912


SD-60-175

Pilot Bit Assembly

- 2-Fluted Pilot


LBS 15

PN 135983

S-250

2 1/2" Square Pilot Bit Adapter

- Use with TF-1000 Pilot
- 2.5" X 6" OD

LBS 18

PN 151598

S-400

4" Square Pilot Bit Adapter

- Use with B47-10 Pilot
- 4" X 8" OD

LBS 43

PN 135904

HF = Hard-faced

Hardfaced dirt teeth and pilot are for use in abrasive soil.

C = Carbide Tipped

Carbide tipped dirt pilots are for use in highly abrasive soil and frozen ground.

CXC = Carbide

Carbide dirt teeth and pilot are for use in highly abrasive soil and frozen ground.

HFTC = Hard-faced Carbide


Hardfaced Tungsten Carbide dirt teeth and pilot are for use in abrasive and high impact soil.

Take your drilling to new depths with The New **STRATA** Drilling Grade Carbide Teeth!

The STRATA Proprietary
Drilling Grade Teeth are
Made Especially for the
Drilling Industry!

The Improved Grade of
Carbide in All Strata Teeth
Increases The Life Cycle of
The Tooth

Less Down Time
Means Increased
Production and
Productivity!




SR-74

Conical Tooth
- .74" Shank Diameter
- New Carbide Angle for
Increased Penetration
- Improved Carbide Grade

PN 850027

POCKET	LBS	BUCKET QTY.
P20	.65	65




SR-76

Conical Tooth
- .76" Shank Diameter
- New Carbide Angle for
Increased Penetration
- Improved Carbide Grade

PN 850032

POCKET	LBS	BUCKET QTY.
P10	.65	60




SR-76SW

Conical Tooth
- .76" Shank Diameter
- Sleeve Washer
- New Carbide Angle for
Increased Penetration
- Improved Carbide Grade

PN 850035

POCKET	LBS	BUCKET QTY.
P10	.56	50




SR-86

Conical Tooth
- .86" Shank Diameter
- New Carbide Angle for
Increased Penetration
- Improved Carbide Grade

PN 850031

POCKET	LBS	BUCKET QTY.
P-87	.56	60




SR-100

Conical Tooth
- 1" Shank Diameter
- Carbide Angle for
Increased Penetration
- New Carbide Grade

PN 850023

POCKET	LBS	BUCKET QTY.
P30 & P30F	1.1	35




SR-122

Conical Tooth
- Step Shank
- New Carbide Grade

PN 850034

POCKET	LBS	BUCKET QTY.
D38	2.6	12



SR-104

Conical Tooth
- Step Shank
- New Hair Pin Clip
- New Carbide Grade

PN 850024

POCKET	LBS	BUCKET QTY.
P4	2.6	15


STRATA DRILLING GRADE CARBIDE

PENGO is proud to introduce the STRATA series drilling grade conical carbide tools. STRATA series tools are designed to withstand the toughest drilling conditions and provide the highest return on investment. All STRATA series tools use a proprietary grade carbide developed specifically for vertical drilling applications. This specific grade of tungsten carbide utilizes a same size same shape grain structure allowing for a very uniform pattern free of impurities.


This attention to high quality uniformity ensures each STRATA tool has:

- Better high temperature wear resistance.
- Increased fracture toughness.
- Consistent wear characteristics in vertical drilling applications.
- Longer service life. Which means more up time and fewer tool changes.

All STRATA conical tools are manufactured in the USA!



Strata Series Carbide
Grain Structure




Conventional Carbide
Grain Structure




The three conical teeth to the right and on the following pages are the Standard Pengo Teeth. Note these are different than the STRATA teeth as they do not contain the drilling grade carbide tips.


The standard teeth are used in solid fracturable rock but may not provide the same wear as the Strata Teeth.



S31-HD
Conical Tooth
- 1" Shank Diameter
PN 850037



S22
Conical Tooth
- Step Shank
PN 850038



S4-1
Conical Tooth
- Step Shank
PN 850039


All PENGO augers are shipped with STRATA conical teeth.

POCKET	LBS	BUCKET QTY.
P30 & P30F	1.1	35

POCKET	LBS	BUCKET QTY.
D38	2.6	12

POCKET	LBS	BUCKET QTY.
P4	2.6	15

CONICAL TEETH




S21

- Conical Tooth
- .74" Shank
 - Internal Retainer
 - Design Evenly Distributes Impact Loads Through Tool Shoulder
 - Ideal for Use in Hard, High Impact Conditions

PN 850025

POCKET	LBS	BUCKET QTY.
P20	.3	65




S23

- Conical Tooth
- .74" Shank
 - Internal Retainer
 - Design Evenly Distributes Impact Loads Through Tool Shoulder
 - Ideal for Use in Hard, High Impact Conditions

PN 850033

POCKET	LBS	BUCKET QTY.
P20	.3	65




S24

- Conical Tooth
- .74" Shank
 - Internal Retainer
 - Design Evenly Distributes Impact Loads Through Tool Shoulder
 - Ideal for Use in Hard, High Impact Conditions

PN 850029

POCKET	LBS	BUCKET QTY.
P20	.4	75

BoRH Teeth




S21RR

- Conical Tooth
- .83" Shank Diameter
 - Replacement Tooth in PENGOS BoRH - Bolt On Rock Head
 - Internal Retainer
 - Hard Rock, Concrete

PN 850019

LBS	BUCKET QTY.
.59	50




SRL-9

- Conical Tooth
- .76" Shank
 - Internal Retainer
 - Design Evenly Distributes Impact Loads Through Tool Shoulder
 - Hard, High Impact

PN 850017

POCKET	LBS	BUCKET QTY.
P10	.5	65




SRL-10

- Conical Tooth
- .76" Shank
 - Internal Retainer
 - Design Evenly Distributes Impact Loads Through Tool Shoulder
 - Hard, High Impact

PN 850022

POCKET	LBS	BUCKET QTY.
P10	.5	65



SRL-07

- Conical Tooth
- .76" Shank
 - Internal Retainer
 - Hard, High Impact


PN 850009

POCKET	LBS	BUCKET QTY.
P10	.5	35



The Pengo S21RR Tooth was designed exclusively for the Pengo BoRH® (Bolt-on Rock Head) which converts the Pengo Aggressor® auger into a rock auger in minutes. The stout S21-RR design works well in hard rock and concrete conditions and the enlarged tooth shoulder helps to protect the BoRH™ from wear.

CONICAL TEETH




SRS16

Conical Tooth
- 76" Shank Diameter
- Internal Retainer
- Hard, High Impact

PN 850020

POCKET	LBS	BUCKET QTY.
0	.5	50




S-387BF

Conical Tooth
- .86" Shank Diameter
- Internal Retainer
- Design Evenly Distributes Impact Loads Through Tool Shoulder
- Hard, High Impact

PN 850030

POCKET	LBS	BUCKET QTY.
S87HDS	.3	65




SL-04

Conical Tooth
- .86" Shank Diameter
- Internal Retainer
- Design Evenly Distributes Impact Loads Through Tool Shoulder
- Hard, High Impact

PN 850016

POCKET	LBS	BUCKET QTY.
S87HDS	.5	65




SM04

Conical Tooth
- 86" Shank Diameter
- Internal Retainer
- Hard, High Impact

PN 850014

LBS	BUCKET QTY.
.8	45




SM06

Conical Tooth
- 86" Shank Diameter
- Standard Body Design
- Design Evenly Distributes Impact Loads Through Tool Shoulder
- Hard, High Impact

PN 850018

LBS	BUCKET QTY.
.8	50




S31

Conical Tooth
- 1" Shank Diameter
- Smaller Tip for Increased Penetration
- Improved Carbide Grade
- Internal Retainer
- Hard Rock, Concrete

PN 850026

LBS	BUCKET QTY.
1.3	35



SU40-HD

Conical Tooth
- 1" Shank Diameter
- Internal Retainer
- Hard, High Impact

PN 850021

LBS	BUCKET QTY.
2.2	35

Coincal Teeth

SRZ16
Bucket Qty. 65
PN 850001

SRP18
Bucket Qty. 45
PN 850000

SRP19
Bucket Qty. 50
PN 850004

S3KBF
Bucket Qty. 50
PN 850003

S3KBF-LN
Bucket Qty. 50
PN 850002

S20HP

Puller Bit
- Easily Remove the Pengo's Conical Teeth
PN 850005

DIRT TEETH | UTILITY


1650

Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140200

1652

Dirt Gage Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140020

1652HF

Dirt Gage Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140086

1656

Carbide Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- High Abrasion, Frozen Soil, Low Impact

PN 140005

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	.5	50

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	1.1	50

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	1	50

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	.59	25


1658

Carbide Dirt Gage Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- High Abrasion, Frozen Soil, Low Impact

PN 140006

1851

Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140017

RB56

Ridge Breaker Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140022

RB58

Carbide Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Pengo MD Boring Heads & Quick Change Augers
- Typical Dirt Applications

PN 140015

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	1	25

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	.5	50

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	.5	25

POCKET	LBS	BUCKET QTY.
1XS, BT-100, WT-50	.59	25

DIRT TEETH | CONSTRUCTION



40/50

Dual Angle Dirt Tooth
- Replacement Teeth for
Pengo AGGRESSOR
Augers
- Typical Dirt Applications
PN 134501

POCKET	LBS	BUCKET QTY.
NA	.5	100



40/50C

Dual Angle Carbide
Dirt Tooth
- Replacement Teeth for
Pengo AGGRESSOR
Augers
- Abrasive and Frozen Soil,
No Impact
PN 134519

POCKET	LBS	BUCKET QTY.
NA	.5	25



40/50HFF

Dual Angle Hardface
Dirt Tooth
- Replacement Teeth for
Pengo AGGRESSOR
Augers
- Abrasive and Frozen Soil,
Impact
PN 134802

POCKET	LBS	BUCKET QTY.
NA	.5	25



35

Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for
CS and AG AGGRESSOR
Augers
- Typical Dirt Applications
PN 133835

POCKET	LBS	BUCKET QTY.
T-35; T-36	.4	100



35C

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for
CS and AG AGGRESSOR
Augers
- Compacted Rock, Abrasive,
No Impact
PN 140007

POCKET	LBS	BUCKET QTY.
T-35; T-36	.4	50



35HF

Hardface Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for
AG AGGRESSOR and CS
Augers
- Abrasive, Impact
PN 140008

35HFF PN 140009

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	50

In 2008 Pengo developed the FAS-N-LOK Series of dirt teeth. Fas-N-Lok teeth incorporates vulcanized rubber on the inside surface of the tooth, saving you time and money!



TYPE Dirt Tooth

DRILLING dirt, ordinary digging

TYPE Carbide Tooth

DRILLING highly abrasive soil, frozen ground

TYPE Gage Tooth

DRILLING dirt, ordinary digging

TYPE Carbide Gage

DRILLING highly abrasive soil, frozen ground

TYPE Carbide Rock

DRILLING rock, compacted soil

TYPE Hard Faced - one side

DRILLING abrasive soil, impact

TYPE Hard Faced -

two sides (HFF)

DRILLING abrasive soil, impact

TYPE Ridge Breaker

DRILLING high abrasion, frozen soil, low impact

Due to varying manufacturers tolerances, Rub-R-Lok might be necessary to obtain the correct fit.


DIRT TEETH | CONSTRUCTION



37

Dirt Gage Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo Quick Change, AG Max and TRIMAX Augers and Boring Heads
- Typical Dirt Applications

PN 140027



37HF

Dirt Hardface Gage Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo Quick Change, AG Max and TRIMAX Augers and Boring Heads
- Abrasive, Impact

PN 140010



1336L

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for TRIMAX and CS Augers
- Abrasive Frozen Soil

PN 140016



RB36LC

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for TRIMAX and CS Augers
- Abrasive Frozen Soil

PN 140021

POCKET	LBS	BUCKET QTY.
T-35; T-36	.5	50

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	50

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	100

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	100



5T30

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo TRIMAX Augers and Boring Heads
- Loose Rock, Abrasive, No Impact

PN 140029



5T30C

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo TRIMAX Augers and Boring Heads
- Compacted Rock, Abrasive Soil, No Impact


PN 140012



5T30HF

Carbide Dirt Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo TRIMAX Augers and Boring Heads
- Rock, High Impact

PN 140014



RB5T30

Carbide Gage Tooth
- FAS-N-LOK®
- Replacement Teeth for Pengo TRIMAX Augers and Boring Heads
- Rock, High Impact

PN 140013

POCKET	LBS	BUCKET QTY.
T-35; T-36	.4	100

POCKET	LBS	BUCKET QTY.
T-35; T-36	.4	50

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	50

POCKET	LBS	BUCKET QTY.
T-35; T-36	.6	100

DIRT TEETH | FOUNDATION


2070

Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Cast Replacement Heads
- Typical Dirt Applications

PN 140002

2072

Dirt Gage Tooth

- FAS-N-LOK®
- Replacement Teeth for Cast Replacement Heads
- Typical Dirt Applications

PN 140000

2077

Carbide Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Cast Replacement Heads
- High Abrasion

PN 140003

2078

Carbide Gage Tooth

- FAS-N-LOK®
- Replacement Teeth for Cast Replacement Heads
- High Abrasion

PN 140004

POCKET	LBS	BUCKET QTY.
WA & FA 70	2	20

POCKET	LBS	BUCKET QTY.
WA & FA 70	2.3	20

POCKET	LBS	BUCKET QTY.
WA & FA 70	2.3	20

POCKET	LBS	BUCKET QTY.
WA & FA 70	2.4	20


2079

Carbide Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Cast Replacement Heads
- High Abrasion

PN 140001

16R55

Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Foundation Dirt Augers
- Typical Dirt Applications


PN 140019

16R51 Bident Tooth

1.1 lb. **PN** 140509

POCKET	LBS	BUCKET QTY.
WA & FA 70	3.3	20

POCKET	LBS	BUCKET QTY.
B-256, C-355, E-555	1	50



7R55

Carbide Chisel Dirt Tooth

- FAS-N-LOK®
- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 140018

POCKET	LBS	BUCKET QTY.
B-256, C-355, E-555	1	50



TAPER FIT TEETH



60

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170006



70

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170020



80

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170008



80C

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170003

POCKET	LBS	BUCKET QTY.
WO-1	1	50

POCKET	LBS	BUCKET QTY.
WO-1	1	50

POCKET	LBS	BUCKET QTY.
WO-12	2	25

POCKET	LBS	BUCKET QTY.
WO-12	1.7	12



90P

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 134855



95P

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170015




132

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 134406



134

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 134411

SZ90P SubZero Tooth

1.75 lbs. PN 134792

POCKET	LBS	BUCKET QTY.
WO-12	1.63	25

POCKET	LBS	BUCKET QTY.
WO-12	1.5	25

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2	15

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2	15

TAPER FIT TEETH



201

Dirt Tooth

- Replacement Teeth for Foundation Augers
- Typical Dirt Applications

PN 170030



201C

Carbide Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion Digging

PN 170029



211

Dirt Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 170034



299

Carbide Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 134659

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2.1	20

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2.1	20

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2.9	20

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2.8	20



PFC2

Carbide Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 140112



PFC5

Carbide Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 140115



SZ210

Sub Zero Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 170032



SZ211

Sub Zero Tooth

- Replacement Teeth for Foundation Dirt Augers
- High Abrasion

PN 170039

POCKET	LBS	BUCKET QTY.
WO-5; WO5HDS	2.5	20

POCKET	LBS	BUCKET QTY.
PFC-5H	1	50

POCKET	LBS	BUCKET QTY.
WO-8; WO-5; WO5HDS	2.5	15

POCKET	LBS	BUCKET QTY.
WO-8; WO-5; WO5HDS	3.5	15

DRAG STYLE TEETH



CB10

Carbide Tooth
- Replacement Teeth for MD and GP Step Rock Augers
- Dirt, Sand, Clay

PN 140055



604C

Carbide Tooth
- Replacement Teeth for MD and GP Step Rock Augers
- Hard Rock

PN 140065



CU7

Carbide Tooth
- Replacement Teeth for MD and GP Step Rock Augers
- Dirt, Sand, Clay

PN 134084



CJ2

Carbide Tooth
- Replacement Teeth for MD and GP Step Rock Augers
- Dirt, Sand, Clay

PN 850028

U7L Sub Zero

.55 lbs. PN 134083


POCKET	LBS	BUCKET QTY.
H-10	.8	100

POCKET	LBS	BUCKET QTY.
H-10	.55	50

POCKET	LBS	BUCKET QTY.
CJ-2	.55	50

POCKET	LBS	BUCKET QTY.
CJ-2	.69	50

ACCESSORIES



STORAGE

- For Your MD Auger

10" 1345-3.75 DISH
6.8 lbs. PN 151735

10" CUST - 4" ID DISH PN 132875

8" 1345-3.00 DISH
4.5 lbs. PN 151732

8" 1345-3.75 DISH
4.5 lbs. PN 151731

2 3/8" API, 3 1/2" OD BOX
6.1 lbs. PN 132191

2-3/8" API, 4" OD BOX
PN 151193

WIND-UP 0.8 lbs. PN 157704



DRIVE LUGS

Cast Alloy
- Used with Screw Bit Pilots

141-L 375-TCH-171
1.3 lbs. PN 151970

141-R SB-35 or SB-45
1 lbs. PN 151956

141-MT SB-35 or SB-45
1.3 lbs. PN 151960

MF-MM SB-35 or SB-45
2.2 lbs. PN 151020



DRIVE PINS

- For use with Your PENGO Parts

DP-2 2" 3/8" x 1-1/2"
.1 lbs. PN 157779

DP-3 3" 1/2" x 2"
.1 lbs. PN 157780

DP-4 4" 5/8" x 2-3/4"
.3 lbs. PN 157781

DP-5 5" 5/8" x 2-3/4"
.5 lbs. PN 157782



TOOLS

- For use with Your PENGO Parts

SOFT HAMMER 3.5 lbs.
PN 137737

DRIFT PUNCH .8 lbs.
PN 137750

HORSESHOE NAIL 1 lbs.
PN 137620

RUBR-LOK .1 lbs.
PN 137601

P-10 Pin .1 lbs.
PN 137610


BLOCKS | CONICAL TEETH

P10

Conical Tooth Block
- Fits .76" Shank Size
Conical Teeth

PN 990043

LBS	BUCKET QTY.
.8	35




P10F

Conical Tooth Block
- Fits .76" Shank Size
Conical Teeth

PN 990084

LBS	BUCKET QTY.
.55	40




P20

Conical Tooth Block
- Fits .74" Shank Size
Conical Teeth

PN 990002

LBS	BUCKET QTY.
.7	40




P20F

Conical Tooth Block
- Fits .74" Shank Size
Conical Teeth

PN 990085

LBS	BUCKET QTY.
.9	40



S10HD

Conical Tooth Block
- Fits .76" Shank Size
Conical Teeth

PN 850006

LBS	BUCKET QTY.
.60	35

S20HD

Conical Tooth Block
- Fits .74" Shank Size
Conical Teeth

PN 850007

LBS	BUCKET QTY.
1.1	35

S30H

Conical Tooth Block
- Fits 1" Shank Size
Conical Teeth

PN 850013

LBS	BUCKET QTY.
.9	40

B48

Conical Tooth Block
- Fits X
Conical Teeth

PN 800072

LBS	BUCKET QTY.
1.1	6


BLOCKS | CONICAL TEETH

P30

Conical Tooth Block
- Fits 1" Shank Size
Conical Teeth

PN 990001

LBS	BUCKET QTY.
2.6	12



P30F Holder




The P30F Holder is designed specifically for the PENGO Core Barrels. The straight design offers flexibility in angle placement.

P30F

Conical Tooth Block
- Fits 1" Shank Size
Conical Teeth

PN 990082

LBS	BUCKET QTY.
.7	40




P4

Conical Tooth Block
- Fits Step Shank
Conical Teeth

PN 990003

LBS	BUCKET QTY.
3.65	8



P4 Holder



Eliminates Gap


The heavy-duty P4 Holder design eliminates the need to fill large gaps when welding holders in a row. No more excessive welding saves time and keeps heat treat properties intact.

P87B

Conical Tooth Block
- Fits
Conical Teeth

PN 990029

LBS	BUCKET QTY.
2.6	25



BLOCKS | DIRT



T35 Angled

- Fits 35
Series Teeth

LBS 1
PN 171221



T36 Straight

- Fits 35
Series Teeth

LBS .5
PN 171231



1ASR

- Fits 2070
Series Teeth

LBS 2.4
PN 156980



FA-70

- Fits 2070
Series Teeth

LBS 2
PN 158110



FA-70

- Fits 2070
Series Teeth


LBS 2
PN 158110



B-255

- Fits 16R55
Series Teeth


LBS 2.5
PN 155000



C-355

- Fits 16R55
Series Teeth

LBS 3
PN 155010



E-555

- Fits 16R55
Series Teeth


LBS 2.5
PN 154990



1XS

- Fits 1650
Series Teeth


LBS 1.6
PN 157010



BT-100

- Fits 1650
Series Teeth


LBS 1.6
PN 157300



WT-50

- Fits 1650
Series Teeth


LBS 2.5
PN 158115



WO-1

- Fits 60 and 70
Taper Fit Teeth


LBS 1.5
PN 171565



WO-12

- Fits 80, 90,
& 95 Teeth

LBS 2.8
PN 171570



WO-5

- Fits 16R55
Series Teeth


LBS 2.5
PN 171575



WO-5HDS

- Fits 16R55
Series Teeth

LBS 3
PN 171574



WO-8

- Fits 16R55
Series Teeth

LBS 2.5
PN 171577



H-10

- Fits CB-10 Drag
Style Teeth

LBS .28
PN 157025



PFC-5H

- Fits PFC-5
Taper Fit Teeth

LBS 1.5
PN 157027



CJ-2

- Fits CJ2 Drag
Style Teeth

LBS 1.5
PN 134098

HUBS & ADAPTERS



HEX

Cast Alloy Hubs

- Upgrade or repair any brand of auger

RH-1375		PN 133156
RH-812	.6 lbs.	PN 153955
RH-1625	3.1 lbs.	PN 153958
H-200U	10.5 lbs.	PN 154121
H-250	19.7 lbs.	PN 154141
H-262	17.6 lbs.	PN 154151
H-225	12.5 lbs.	PN 154160
H-300	21 lbs.	PN 154205



SQUARE

Cast Alloy Hubs

- Upgrade or repair any brand of auger

S-200	19 lbs.	PN 153990
S-225 FAB		PN 154002
S-250	21 lbs.	PN 154010
S-300	40 lbs.	PN 154020
S-350	2.3 lbs.	PN 154030
S-400	65 lbs.	PN 154050
S-130MM	100 lbs.	PN 154161
S-150MM	175 lbs.	PN 154162
S-177MM	205 lbs.	PN 154163
S-200MM	390 lbs.	PN 154164



ROUND

Cast Alloy Hubs

- Upgrade or repair any brand of auger

1" General	1.4 lbs.	PN 153967
R-200	5.2 lbs.	PN 154080
R-256	9.5 lbs.	PN 154115



HEX ADAPTERS

Cast Adapters

H-200F X H-250M	22 lbs.	PN 132609
H-200F X H-262M	23 lbs.	PN 133379
H-200F X R-200M	14 lbs.	PN 557156
H-225F X H-200M	20 lbs.	PN 557159
H-250F X H-200M	30 lbs.	PN 132419
H-250F X H-262M	31 lbs.	PN 136466
H-250F X R-256M	31 lbs.	PN 151025
H-250F X S-200M	29 lbs.	PN 132946
H-250F X S-250M	33 lbs.	PN 133560
H-250F X H-262M		PN 136466
H-250F X S-200M		PN 132946
H-250F X S-250M		PN 133560
H-262F X H-200M	26 lbs.	PN 133938
H-262F X H-225M	26 lbs.	PN 133939
H-262F X H-250M	30 lbs.	PN 132702
H-262F X S-250M	30 lbs.	PN 132703
H-262F X S-300M		PN 133923
S-250F X H-225M	32 lbs.	PN 132842
S-300F X S-250M		PN 133137
S-350F X S-300M		PN 134797

SQUARE ADAPTERS

Cast Square Female Adapters


S-250 X S-300M	41 lbs.	PN 133914
130MM F X H300M		PN 661284
130MM F X S400M		PN 159033
150MM F X S400M		PN 154109
177MM F X 130MM M		PN 136615
200MM F X 150MM M		PN 136680

ROUND ADAPTERS

Cast Round Female Adapters

1" General	1.4 lbs.	PN 153967
R-200	5.2 lbs.	PN 154080
R-256	9.5 lbs.	PN 154115

EXTENSIONS & COUPLERS | UTILITY



TELESCOPING

Hex Extension

- Extend from 12" to 144"
- Available in 2", 2 1/2" and 2 5/8"

Hex

HE20-12	2" HEX X 12"	PN 557142
HE20-24	2" HEX X 24"	PN 557143
HE20-36	2" HEX X 36"	PN 557144
HE20-48	2" HEX X 48"	PN 557145
HE20-60	2" HEX X 60"	PN 557146
HE20-72	2" HEX X 72"	PN 557147
HE20-84	2" HEX X 84"	PN 557148
HE20-96	2" HEX X 96"	PN 557149
HE20-120	2" HEX X 120"	PN 557150
HE20-144	2" HEX X 144"	PN 557151
HE25-12	2 1/2" HEX X 12"	PN 557126
HE25-24	2 1/2" HEX X 24"	PN 557162
HE25-36	2 1/2" HEX X 36"	PN 557128
HE25-48	2 1/2" HEX X 48"	PN 557129
HE25-60	2 1/2" HEX X 60"	PN 557130
HE25-72	2 1/2" HEX X 72"	PN 557163
HE25-90	2 1/2" HEX X 90"	PN 135598
HE26-12	2 5/8" HEX X 12"	PN 557119
HE26-24	2 5/8" HEX X 24"	PN 557120
HE26-36	2 5/8" HEX X 36"	PN 557121
HE26-48	2 5/8" HEX X 48"	PN 557122
HE26-60	2 5/8" HEX X 60"	PN 557160
HE26-72	2 5/8" HEX X 72"	PN 557161
HE225-72	2 1/4" HEX X 72"	PN 557140
H-250F X H-262M X 72"		PN 557172
H-262F X H-250M X 72"		PN 557170

3" TELESCOPING

Hex Extension

- Extend from 12" to 144"

H300 X 24" OAL	70 lbs.	PN 134870
H300 X 36" OAL	98 lbs.	PN 134871
H300 X 48" OAL	124 lbs.	PN 134872
H300 X 60" OAL	135 lbs.	PN 134844
H300 X 72" OAL	175 lbs.	PN 134847
H300 X 102" OAL		PN 134828

EXTENSION BARS

No Hubs with Holes


- Extend from 12" to 144"	
2" HEX X 72" STD	PN 137570
2 1/2" HEX X 72" STD	PN 137571
2 5/8" HEX X 72" STD	PN 137572

EXTENSION BARS

No Hubs no Holes

- Extend from 12" to 144"

2' HEX X 72" HEX BAR	
70.7 lbs.	PN 151125
2 1/4" HEX X 72" HEX BAR	
89.5 lbs.	PN 151126
2 1/2" HEX X 72" HEX BAR	
110.5 lbs.	PN 151127
2 5/8" HEX X 72" HEX BAR	
110.5 lbs.	PN 151128



HEX COUPLERS

for Utility


2" x 2"	A = 3"	L = 8"
13 lbs.		PN 553400
2 1/2" x 2 1/2"	A = 5"	L = 8"
22 lbs.		PN 553402
2 5/8" x 2 5/8"	A = 5"	L = 8"
21 lbs.		PN 553403

HEX COUPLERS

H262 X H262	PN 553399
H250 X H262	PN 553407
H262 X H262	PN 553411
H200 X H200	PN 553412
H200 X H200	PN 553413
H200 X H262	PN 553414
H200 X H262	PN 553415
H200 X H250	PN 553416
H200 X H250	PN 553417
H250 X H262	PN 553418
H250 X H262	PN 553419

**CONTACT PENGO SALES
AT 800.599.0211
FOR COMPLETE LISTING
OF REPLACEMENT PARTS**

EXTENSIONS | CONSTRUCTION



CS TELESOPING

For adapting PENGO Standard Auger to Any Hand Held Earth Drill

G-1.00R X 24 GENERAL	PN 557091
G-1.375HX24 GENERAL	PN 557092
LB-1.25SX24 LIT BEAVER	PN 557093
GH-.875SX24 GROUND HOG	PN 557094
PC-1.31R X12 PENGO COLLAR	PN 557095
PC-1.687RX24 PENGO COLLAR	PN 557096
PC-1.687RX36 PENGO COLLAR	PN 557097

NOTE: Augers used with CS Extensions must be ordered with PENGO's CS collar (part no. 158065).

TELESOPING


2" Hex with Standard Holes

HE20-12 STANDARD	22 lbs.	PN 557142
HE20-24 STANDARD	34 lbs.	PN 557143
HE20-36 STANDARD	46 lbs.	PN 557144
HE20-48 STANDARD	58 lbs.	PN 557145
HE20-60 STANDARD	70 lbs.	PN 557146
HE20-72 STANDARD	82 lbs.	PN 557147

EXTENSION BARS

2" Hex Bar with Standard Holes

2" HEX X 72"	PN 137570
2-5/8" HEX X 72"	PN 137572
H-250 X 72"	PN 137571
HE20-72	82 lbs. PN 557147



FIXED EXTENSIONS

2" Round Extension


RE20-12	PN 557176
RE20-72	PN 557177
RE20-24	PN 557178
RE20-36	PN 557174
RE20-48	PN 557179

FIXED EXTENSIONS

2 9/16" Round Extension

RE20-12	PN 557176
RE25-12 STD FIXED	20 lbs. PN 134203
RE25-24 STD FIXED	31 lbs. PN 134204
RE25-36 STD FIXED	40 lbs. PN 134205
RE25-48 STD FIXED	50 lbs. PN 134206
RE25-60 STD FIXED	61 lbs. PN 134207
RE25-72 STD FIXED	72 lbs. PN 134208

sales contacts



Eric Hennarichs, Regional Sales Manager, East
317.286.8386 ehennarichs@paladinbrands.com

Gerry Logan, Regional Sales Manager, West
515.302.0206 glogan@paladinbrands.com

Brad Blackstone, Regional Sales Manager, South
972.489.7361 bblackstone@paladinbrands.com

Mary Pohlman, Sales Product Specialist
319-491-7943 mpohlman@paladinbrands.com

Dawn Jamison, Manager, OEM and Sales Admin.
319.210.6895 djamison@paladinbrands.com

Dana Scudder, VP Sales & Marketing
561.400.9311 dscudder@paladinbrands.com

Pengo Limited Warranty

Products manufactured by Pengo wear and are expendable in their function. Wear and tear and occasional breakage must, therefore, be expected.

Pengo products are warranted from defects in material and workmanship for a period of Sixty (60) Days from the date of invoice. Pengo will either replace or credit the defective part at it's option. Any labor and/or material required to remove or install parts is excluded under this Limited Warranty. Products that have been misused, misapplied, hardfaced, improperly welded, or otherwise installed contrary to instructions and specifications are not covered by this Limited Warranty.

Pengo reserves the right to make design, specification and prices changes without notice and obligations to the affect of such changes.

Pengo makes no other warranty. All other warranties, whether express, implied or statutory, such as warranties of merchantability of fitness for a particular purpose, are hereby excluded and disclaimed to the extent that they exceed the warranties expressly granted in this limited warranty. In no event shall Pengo be liable for consequential or incidental damages. Whether direct or indirect, claimed by the customer and/or any third parties.

Returns and Claims

1. Pengo reserves the right to determine whether products claimed to be defective shall be inspected by our personnel in the field or returned to the factory. If judged by Pengo to be defective in material or workmanship, the product will be replaced or a credit issued at the option of Pengo.
2. Upon notification of defect, Pengo's Inside Sales Department will issue a Return Goods Authorization number (RGA). All returns for replacement or credit MUST be accompanied by a RGA number. Products returned without a RGA number will be rejected and returned to the sender freight collect.
3. All returns must be shipped "prepaid". Products shipped "collect" will be refused. Proof of purchase such as invoice number must accompany returns.
4. Slow moving dealer inventory may be returned once per calendar year. The net value cannot exceed 5% of the previous year's purchases. A 20% re-stocking charge will apply to the net value or returned products. All returns must be of current manufacture and in un-used condition. Rusty or custom painted products will not be accepted for return.



Distributed By:



Website

Scan these QR codes with your smart phone and gain instant access to our web site or call us automatically.

Not familiar with QR codes? Simply go to www.inigma.mobi on your mobile device. I-nigma will automatically identify your smart phone and install the code reader.



Phone

PENGO
500 EAST HIGHWAY 10
LAURENS, IA 50554
PH: 800.599.0211 OR 712.845.2540
FX: 712.845.2497
WWW.PENGOATTACHMENTS.COM
PENGOSALES@PALADINBRANDS.COM

© COPYRIGHT 2012 PENGO



INTERNATIONAL
EQUIPMENT
SOLUTIONS

www.iesholdings.com